

PB-237 282

DEMONSTRATION OF A STATE WATER QUALITY
MANAGEMENT INFORMATION SYSTEM

PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES

PREPARED FOR
WASHINGTON ENVIRONMENTAL RESEARCH CENTER

AUGUST 1974

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

SELECTED WATER RESOURCES ABSTRACTS

INPUT TRANSACTION FORM

1. Report No. 2.

**PB 237 282
W**

**Demonstration of a State Water Quality
Management Information System**

5. Report Date

6. Performing Organization
Report No.

Author(s)

Bureau of Water Quality Management

10. Project No.

16090DRA

Organization

**Department of Environmental Resources
Commonwealth of Pennsylvania
Harrisburg, Pennsylvania 17120**

11. Contract/Grant No.

S-801000

13. Type of Report and
Period Covered

12. Sponsoring Organization **U.S. Environmental Protection Agency**

Environmental Protection Agency report number, EPA-600/5-74-022, August 1974

This report is a documentation of the Pennsylvania Water Quality Management Information System (WAMIS). The report is divided into two volumes. The first is a program manager's overview of the system, while the second is a compilation of elements required for system application. The program manager's overview discusses the objectives of the system and its development, describes the operations of the various system modules, including required inputs and outputs as well as uses to which the system may be put, estimates manpower and operating cost requirements, and summarizes methods for system application. Detailed documentation of elements required to apply the existing three system modules - the Facility Status, Water Quality, and Contact Modules - is included in Volume II. Volume II includes system inputs with detailed coding instructions, sample output reports, and documentation of each of the three system modules. Module documentation is comprised of system inputs and outputs, system flowcharts, system books, control procedures, clerical procedures, operator's instructions, and all program books. Sufficient information is provided to enable application of WAMIS modules by other states or jurisdictions.

17a. Descriptors **Information retrieval, data storage and retrieval, data processing, water pollution control, monitoring, state jurisdiction.**

17b. Identifiers **Water Quality Enforcement**

PRICES SUBJECT TO CHANGE

Reproduced by
**NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. Department of Commerce
Springfield, VA 22151**

17c. COWPER Field & Group

07B, C

18. Availability

GPO

19. Security Class.
(Report)

20. Security Class.
(Page)

21. No. of
Pages

22. Price

Send To:

**WATER RESOURCES SCIENTIFIC INFORMATION CENTER
U.S. DEPARTMENT OF THE INTERIOR
WASHINGTON D.C. 20240**

Abstracts

Institution

ATTENTION

AS NOTED IN THE NTIS ANNOUNCEMENT,
PORTIONS OF THIS REPORT ARE NOT LEGIBLE.
HOWEVER, IT IS THE BEST REPRODUCTION
AVAILABLE FROM THE COPY SENT TO NTIS.

EPA-600/5-74-022

August 1974

DEMONSTRATION OF A STATE
WATER QUALITY MANAGEMENT
INFORMATION SYSTEM

by

Commonwealth of Pennsylvania
Department of Environmental Resources
Bureau of Water Quality Management

Project S-801000
Formerly 16090DRA
Program Element 1BA030
ROAP/Task 21 AQT-03

Project Officer
Ronald E. Bunce
Region III
Environmental Protection Agency
Philadelphia, Pennsylvania 19106

Prepared for
Washington Environmental Research Center
U. S. Environmental Protection Agency
Washington, D. C. 20460

1-D

ABSTRACT

This report is a documentation of the Pennsylvania Water Quality Management Information System (WAMIS). The report is divided into two volumes. The first is a program manager's overview of the system, while the second is a compilation of elements required for system application. The program manager's overview discusses the objectives of the system and its development, describes the operations of the various system modules, including required inputs and outputs as well as uses to which the system may be put, estimates manpower and operating cost requirements, and summarizes methods for system application. Detailed documentation of elements required to apply the existing three system modules - the Facility Status, Water Quality, and Contact Modules - is included in Volume II. Volume II includes system inputs with detailed coding instructions, sample output reports, and documentation of each of the three system modules. Module documentation is comprised of system inputs and outputs, system flowcharts, system books, control procedures, clerical procedures, operator's instructions, and all program books. Sufficient information is provided to enable application of WAMIS modules by other states or jurisdictions.

CONTENTS

	<u>Page</u>
Abstract	ii
List of Figures	iv
List of Tables	vi
Acknowledgements	vii
<u>Sections</u>	
I Introduction	1
II System Objectives	4
III System Description	17
IV System Manpower and Operating Cost Requirements	124
V Systems Application Summary	125

FIGURES

<u>No.</u>		<u>Page</u>
1	WAMIS Data Flow	11
2	Establishment Information (All Programs)	25
3	Facility Information (Water Supply Program)	26
4	Facility Information (Bathing Places Program)	27
5	Facility Information (Industrial Waste Program)	28
6	Facility Information (Sewage Program)	29
7	Water Supply Inspection Report	35
8	Public Beach Inspection Report	36'
9	Waste Discharge Inspection Report	37
10	Enforcement Status	40
11	Storet Cards	41
12	Location Coordinates (Latitude & Longitude)	42
13	Location Coordinates (Inches North & Inches West)	43
14	Identification Report	45-46
15	Addendum Report	47-48
16	Enforcement Status Report	49-50
17	Enforcement Status Listing	51-52
18	Management Action - Enforcement	53-54
19	Management Action Non-Enforcement	56-57
20	Enforcement Activity Report	58-65
21	Enforcement Status Totals	66-70
22	Enforcements in DSE Over 1 Year	71
23	Facility Status Input Validation Error Listing	72-73
24	Storet Error Listing	74-76

List of Figures (Continued)

<u>No.</u>		<u>Page</u>
25	Facility Status Update Master Activity List	77-78
26	Cross Reference Update	80-82
27	Water or Waste Quality Report	86-87
28	Water or Waste Quality Report - Special Analyses	88
29	Water Quality Module Data Flow	90
30	Application For Certificate to Operate Sewage Treatment Plants and Waterworks	94-95
31	Contact Subsystem Non-Certification Input	96
32	Certified Operator Listing	97-101
33	Certification for Operation	103
34	Certificate Validation	104
35	Name and Address Listing	105-106
36	Name File Input - County or Municipality	109
37	Name File Input - Network	110
38	Name File Input - Indicator	111
39	Name File Input - Basin	112
40	County and Municipality Listing	114-115
41	Water Quality Networks	116-118
42	Indicator Listing	119
43	Basin Name Listing	120
44	Name File Listing Control Total	121
45	Lat-Long Cross Referenced to ID Code - State Wide	122-123

TABLES

<u>No.</u>		<u>Page</u>
1	Bureau of Water Quality Management Program Statistics	2
2	WAMIS Data Flow Routes	12-14
3	Facility Status Module Input and Output Forms and Reports	19
4	Establishment, Case and Facility Information Input	20-24
5	Inspection Report Input	31-34
6	Enforcement Status Input	39
7	Water or Waste Quality Report Input Information	84-85
8	Contact Module Input and Output Forms and Reports	91
9	Certification Application Information	93
10	Name File Input and Output Forms and Reports	108

ACKNOWLEDGEMENTS

This final report was authored by Dr. C. J. Touhill, at Environmental Quality Systems, Inc., Rockville, Maryland, and was based on work done previously by the Department of Environmental Resources of the Commonwealth of Pennsylvania, both in-house and by contractors. The author gratefully acknowledges the cooperation of Mr. Walter A. Lyon, Director of the Bureau of Water Quality Management, Department of Environmental Resources, and Mr. Richard L. Stalker, Chief of the WAMIS Section, and his staff who assisted in assembling the many information sources and other materials related to previous work which was necessary to compile the report.

The support of the Pennsylvania Science and Engineering Foundation which enabled the accumulation of vital technical data included in the Pennsylvania Water Quality Management Information System is gratefully acknowledged.

SECTION I

INTRODUCTION

In the early 1960's, it became apparent that the combination of intensified efforts to enhance water quality and the accelerating accumulation of information relative to water quality management required highly sophisticated techniques for managing such information. At that time, high-speed electronic computers already had demonstrated great promise for handling masses of information for other purposes. Hence, it became obvious that the formulation of water quality management data systems using computers would become essential in guiding many of the policy decisions of the coming decades.

Toward that end, the Conference of State Sanitary Engineers, in November 1963, formed the Joint Committee on Water Quality Management Data. Other organizations represented on the Committee were: U.S. Army Corps of Engineers, Soil Conservation Service, State and Interstate Water Pollution Control Administrators, U.S. Geological Survey, U.S. Public Health Service, and later, the Federal Water Pollution Control Administration. In May of 1967, the Committee issued a report entitled, "Water Quality Management Data Systems Guide". The primary purpose of this manual was "... to provide a guide to the development of water quality management data systems for agencies which have little or no experience in this field, and to develop compatibility among agencies already having water quality data systems".

During the period when the Committee was formulating their manual, the Federal Water Pollution Control Administration established their own management information system, STORET. FWPCA, and successor organizations, used this computer-oriented management information system for storage and retrieval of water quality, municipal and industrial facility inventory, fish kill, oil spill, construction cost, and other related data. However, during the middle to late 1960's, when the STORET system was being evolved, state agencies recognized the need to tailor data systems for their specific locale and needs.

The Commonwealth of Pennsylvania has in place a massive investment in physical facilities intended to aid in the management of its water resources. The current investment is estimated to be about \$10 billion, with an investment growth rate of about \$1.5 billion per year. In administering the wise use of this investment, and in assuring compliance with federal and state statutes designed to protect water resources, the Commonwealth's Bureau of Water Quality Management is faced with managing a massive amount of information. Table 1 gives an indication of the breadth and scope of information which bears directly on the Bureau's ability to manage effectively.

Because of the magnitude of information to be collected, stored, retrieved, and analyzed, the concept of a state-wide Water Quality Management Information System (WAMIS) was developed.

Table 1. BUREAU OF WATER QUALITY MANAGEMENT PROGRAM STATISTICS

Miles of Streams	50,000
Square Miles of Groundwater	45,000
Number of Dams	2,700
Number of Sewerage Treatment Plants	2,600
Number of Industrial Waste Treatment Plants	2,500
Number of Water Works	1,300
Number of Swimming Places	3,600
Number of Encroachment Permits	35,000
Number of Inspections Per year	17,650
Number of Enforcement Actions Per year	830
Number of Permits Issued Per Year	2,200
<u>Number of Operators Certified</u>	<u>4,100</u>

This information system reflected the objectives of the Joint Committee "manual" and, additionally, incorporated objectives related to specific problem areas peculiar to the State of Pennsylvania.

The Water Quality Management Information System (WAMIS) was intended to:

1. plan inspections;
2. measure progress in terms of enforcement, construction schedules, and upgrading water quality;
3. assess permit coverage;
4. identify problem areas and priorities;
5. determine specific treatment, research and development, and budgetary needs;
6. monitor operation reports;
7. issue and monitor certificates to operators;
8. prepare mailing lists;
9. monitor ground and surface water quality;
10. assist in planning;
11. collate, file and disseminate information; and
12. respond to federal reporting requirements.

The subsequent chapter defines the system objectives as perceived at the time of project initiation, and then describes how these objectives were modified through experience with the project during later years. In addition, the current status and future plans for the State Water Quality Management Information System (WAMIS) are identified.

SECTION II

SYSTEM OBJECTIVES

The Commonwealth had recognized the need for managing the growing mass of water quality information well in advance of the demonstration project application and had taken steps toward building a coordinated system. Although some of the information was manipulated manually, it is interesting to note that three of the principal criteria continue to guide its evolution even today. First, the system was conceived as being specifically tailored to meet state needs. Second, the system was intended to be versatile, dynamic, and expandable in order to fulfill changing needs, and third, individual components of the system were to be interrelated so that these components could be used separately to serve a specific need, or together to achieve an overall coordinated result.

The project objectives specified for the initial demonstration project were as follows:

"To demonstrate a state-wide water quality management information system, including case status, project status, water quality control, and plant operation control systems."

At the time of project initiation, the State already had designed three systems, previously manually manipulated, which required that a total of 30 programs be written as part of the project. These three systems were the Project Status, Case Status, and Water Quality systems. Some of the initial objectives of each system were:

A. Project Status System

1. To evaluate the constantly changing status of facilities being constructed and/or modified to abate water pollution and to assure adherence to the Pennsylvania Clean Streams Law, as amended.
2. To answer requests from other agencies, organizations, governmental bodies (federal, interstate, state and local), and individuals in regard to the latest information on a state-wide, county and/or municipality basis. Types of requests to be answered would be: status of construction of projects; status of grants.

3. To record:

- a. construction in progress
- b. cost of projects
- c. amounts, kinds and types of grants applied for
- d. amounts, kinds and types of grants received
- e. adherence to construction schedules

B. Case Status System

- 1. To maintain an inventory of water supply, sewerage, industrial waste, bathing place and beach facilities within the Commonwealth.
- 2. To monitor adherence of all facilities to:
 - a. the Clean Streams Law
 - b. permit conditions
 - c. orders of the Sanitary Water Board
 - d. enforcement actions
 - e. implementation plans submitted to the Federal government
- 3. To answer questions from agencies, organizations, governmental bodies (Federal, state, interstate, and local), and individuals in regard to the latest information on a state-wide, county and/or municipality basis. Types of requests to be answered could include: status of case(s), status of facility (facilities).

C. Water Quality System

- 1. To record all water and waste quality samples gathered in the Commonwealth from:
 - a. industrial waste facilities
 - b. sewerage facilities
 - c. water supply facilities
 - d. bathing places and beaches
 - e. mine drainage
 - f. surface waters
 - g. ground waters
- 2. To compare the laboratory results of samples with existing water quality criteria or existing effluent standards and to inform management of exceptions so that corrective action may be initiated.

3. To maintain two major files which would include information on the quality and characteristics of the water and the nature of the pollutants in the waters within the Commonwealth.
 - a. STORET I - All stream water and waste quality samples
 - b. STORET II - All non-stream water and waste quality samples
4. To retrieve data from the files to facilitate management of water quality.

It was planned to convert existing records on water quality samples to STORET I and STORET II coding and prepare this data for computer input.

In addition to programming of the aforementioned systems, two systems were to be designed as part of the project. The Plant Operation Control (POC) system was to be designed to monitor the operating performance of water and wastewater treatment plants. The system would determine which plants meet standards and would show the quality and quantity of discharges. The system also would identify missing required reports.

The second system to be designed would be logic checking of input for the Case Status System. The system would verify input data to assure adherence to enforcement policies, as well as the internal consistency of the data.

During the first phase of the project, a concept of a comprehensive water quality management information system was crystallized. The concepts which guided the initial approach were formalized and ordered within a coordinated system. The system was visualized as ultimately being comprised of eleven semi-autonomous system modules, each of which, although inter-related, could be operated independently of the others. These modules and their intended purpose were as follows:

1. Application Review Module

Reviews routine permit application.

2. Application Permit Module

Records and reports status of application prior to and after permit approval.

3. Grants Module

Records and reports data on federal and state grants.

4. Project Status Module
 - Records and reports data on needed facilities and tracks those under construction.
5. Contact Module
 - Contains names, addresses, titles, and certification data on individuals, agencies and organizations having responsibility for or interest in water quality management.
6. Facility Status Module
 - Contains all facilities impinging on state's water system. Reports on design, inspection, enforcement, and identification data.
7. History Module
 - Contains historical data on inspections, enforcements, and operator changes and design specifications no longer carried in appropriate files.
8. Plant Operation Control Module
 - Monitors plant operating performance based on data submitted by plant operator.
9. Water Quality Module
 - Files information on field and laboratory analyses of samples. Compares sample results to performance and stream standards.
10. Pollution Status Module
 - Reports data on single pollution incidents such as fish kills and complaints.
11. Water Usage Module
 - Reports data of past, present and projected water use.

With the completion of the comprehensive system design, the priorities for completion of the newly defined modules were re-evaluated. It should be noted that there was a certain amount of amalgamation in the comprehensive system design, as compared with the original system objectives. Also, the Case Status System was renamed as the Facility Status Module. First priority for completion was assigned to the Facility Status and Water Quality Modules.

Objectives during the second phase of the project reflected the accomplishment of the first, principally through the comprehensive system design. Specific second phase objectives were to:

1. do the necessary programming and data processing so as to test, evaluate and demonstrate management information systems techniques related to the Contract, Project Status, Plant Operation Control and Water Quality Modules;
2. convert existing information handling techniques to modern EDP techniques;
3. design specific modules for: Plant Operation Control Application Permits, Grant Status and Project Status. Complete the design of the Water Quality Module.

In addition, work was to continue on the module furthest developed, the Facility Status Module.

During the second phase of the project, the Facility Status, Water Quality, and Contact Modules became operational.

The third phase anticipated that the Plant Operation Control, Project Status, Grants, and History Modules would be made operational; and if time and funds permitted, design of the Application Permit Module would be completed. In actuality, however, these objectives were not achieved.

A principal reason for not achieving these goals is one commonly encountered in the implementation of automated data systems. As ambitious and pervasive computer programs are designed, developed, debugged, and eventually run on "live" data, detailed operational problems become evident. In addition, there is a "learning curve" associated with educating persons with responsibility for coding input data. The ensuing problems, while not major in terms of the overall system concept, lead to time-consuming and sometimes tedious attention to detail. Such was the case during the third phase. The time between making a module operational on test data and arriving at routine implementation was underestimated. Hence, a major amount of effort was expended in completing unanticipated detailed tasks. It appears, however, that these problems have been surmounted, and that WAMIS

is an integral part of the Bureau of Water Quality Management's activities. Now it is used routinely and greatly simplifies the myriad facets of data management encountered by the Bureau.

Additionally, during the third phase of the project, it became apparent that the modularized system concept required modification. Data flow between modules indicated a much greater interdependence than originally visualized. Therefore, steps were taken to integrate the various modules into a more coherent system. Although the term "module" emphasizes a relatively self-contained element in the overall system, the term was preserved as greater integration resulted in order to avoid any potential for confusion by WAMIS users, even though it was recognized that the system elements were not truly modularized.

During the third phase, it became apparent that new developments had been made by the Environmental Protection Agency in data systems management, and the Bureau believed that certain EPA data systems might be able to handle some of the projected effort specified in the WAMIS Work Plan. Thus, considerable time was devoted to investigating such possibilities.

Hence, currently the three operational systems are the Facility Status, Water Quality, and Contact Modules. Most of the work during the third phase was devoted to improving these modules, in particular, the Water Quality Module. The Water Quality Module was almost completely redesigned and reprogrammed based on greater use of the EPA STORET System.

Considerable effort also was expended in developing a long-range Work Plan for WAMIS, in investigating the potentials for interfacing with EPA data systems, and in developing a preliminary design concept for the Plant Operations Control (POC) Module and Project Review and Permit (PREP) Module. As currently envisioned, the objectives of the POC Module are to: 1) monitor and report on effluent requirements and plant and system operations requirements for all wastewater discharges; 2) monitor and report on important water quality characteristics in public water supplies and waterworks operations requirements; and 3) originate violation and enforcement action reports.

The objectives of the PREP Module, on the other hand, are to monitor and report on time-constrained events such as: permit applications, projects submitted for review by other agencies, and conditions, decisions and actions related to project permits, certifications, and approvals. PREP may ultimately combine elements of the Application Review and Application Permit Modules previously discussed.

In terms of current status, the Facility Status Module has been operational for nearly two years. It contains information on wastewater facilities, water supply, bathing places, industrial wastes, and sewerage programs. Within the module, data is organized into three groupings. The first is descriptive information regarding the facility.

The second is a record of inspections for each facility, and the third is a record of enforcement actions for each facility. All three functions are used routinely. Records for over 36,000 facilities are maintained within the system.

Also within the Facility Status Module is the Enforcement Sub-system. The Sub-system contains information on each legal action with regard to a facility and then identifies each step in the legal process against that facility.

During November 1973, the revisions of the Water Quality Module were completed. This module stores pertinent water quality data on the Department Computer. The water quality data are currently being transferred to EPA's STORET system to make full use of its retrieval capabilities and options with an operational date of May 15, 1974.

The Contact Module contains two separate files. The Certified Operator Sub-system compiles data obtained from application forms submitted by operators and prints operators' certificates. Data is neither summarized nor manipulated, but is consolidated into a single report and interpreted for the user.

The Name and Address Sub-system contains 22 mailing lists with about 150 sub-lists. The lists cover many subjects and include all mailings lists for the Bureau of Water Quality Management.

In terms of future plans for the WAMIS System, the Bureau of Water Quality Management has produced an internal document entitled, "WAMIS Work Plan", which reflects currently envisioned plans for updates, modifications, and additions to the System. This document was first issued internally in memorandum format on August 21, 1973. On the basis of interviews with System users, most of the needs identified by management and field personnel have been taken into account in the Work Plan. The Work Plan is a "live" document which is continually updated as new ideas and needs arise.

Recently, information has been prepared by the Bureau of Water Quality Management to summarize for Department of Environmental Resources managers the manner in which WAMIS is expected to evolve in the future. Figure 1 shows the inter-relationships of existing operational modules with those expected to be designed or implemented. Table 1 is an explanation of the types of information transferred between WAMIS elements as denoted by the numbered data flow routes. As had been previously noted, the Facility Status Module, including the enforcement and inspection sub-systems, is operational and used routinely. Likewise, the Name and Address and Certification sub-systems, which comprise the Contact Module, also are operational and used routinely.

Figure 1. WAMIS DATA FLOW




Table 2. WAMIS DATA FLOW ROUTES

-
1. Project to Activity
 - Workload
 2. PREP to Project
 - Need for a New Project
 3. PREP to Name & Address
 - Consultant
 - Responsible Person
 - Plant
 4. Project to Name and Address
 - Consultant
 - Responsible Person
 - Plant
 5. PREP to Activity
 - Workload
 6. Project to Planning
 - Proposed Projects Descriptions
 - Needs
 - Projects Under ConstructionPlanning to Project
 - Need for Project
 7. Project to Facility
 - Facility Description
 8. Project to Inspection
 - Need for Inspection
 - Schedule Compliance
 - Facility Completion
 9. Project to Enforcement
 - Non-Compliance with Schedule
 10. Facility to Planning
 - Descriptions of Existing FacilitiesPlanning to Facility
 - Recommended Permit Conditions
 11. Water Quality to Planning
 - Stream Quality
 - Effluent QualityPlanning to Water Quality
 - Stream Standards

(continued)

Table 2. (Continued).

-
12. Facility to STORET-GPSF
 - Facility Descriptions
 - Project Needs
 - EnforcementSTORET-GPSF to Facility
 - Facility Description
 13. Inspection to Certification
 - Operator Confirmation
 - Operator ChangesCertification to Inspection
 - Operator's Name and Class
 - Need for Inspection
 14. Certification to Facility
 - Operators Class
 15. POC to Inspection
 - Need for Inspection
 - Operator Change
 - Non-Compliance with Standards
 - Approaching Design Limits
 16. POC to Certification
 - Operator Identification
 17. POC to Name and Address
 - Address ChangesName and Address to POC
 - Mailing Labels
 18. POC to Facility
 - Changes in SystemFacility to POC
 - Permit Conditions
 - Facility Descriptions
 19. Inspection to Enforcement
 - Need for Action
 - Compliance Achieved
 - Confirm ConditionEnforcement to Inspection
 - Need for Inspection
 - Current Status

(continued)

Table 2. (Continued).

-
- | | |
|-----|--------------------------------|
| 20. | Water Quality to Inspection |
| | ● Need for Inspection |
| | ● Background |
| | ● Historical |
| 21. | Inspection to Name and Address |
| | ● Address Changes |
| | Name and Address to Inspection |
| | ● Background |
| 22. | Groundwater to Facility |
| | ● Facility Description |
| 23. | Groundwater to STORET-WQ |
| | ● Station Description |
| | ● Water Quality (Historical) |
| 24. | POC to STORET-GPSF |
| | ● Self Monitoring Reports |
| 25. | Facility to X-Reference |
| | ● I.D. Code |
| | ● Lat/Long |
| 26. | X-Reference to Water Quality |
| | ● I.D. Code |
| | ● Lat/Long |
| | Water Quality to X-Reference |
| | ● Lat/Long |
| | ● Existence of Station |
| 27. | X-Reference to STORET-AUTOMAP |
| | ● Lat/Long |
| 28. | STORET-AUTOMAP to STORET-WQ |
| | ● RMI for Lat/Long |
| 29. | Facility to STORET-WQ |
| | ● Station Descriptions |
| 30. | Water Quality to STORET-WQ |
| | ● Water Quality |
-

The Activity System, which monitors WAMIS work flow and work load currently, will become computerized. On the other hand, the Project System is expected to be merged with the Facility Status Module or the PREP Module. The Plant Operation Control (POC) and Project Review and Permit (PREP) Modules, as discussed previously, are in the system design state.

The Groundwater System, also referred to as G/WAMIS, was developed independently of the grant. It is a file containing data on all municipal water supply wells and springs. Technical well and spring data, and a limited amount of water quality data are available through the system in a computer printout which contains a complete listing of all facilities. G/WAMIS has no selective retrieval options, and no data manipulation programs are available at this time. Moreover, the G/WAMIS file is not cross-referenced with the WAMIS files. It is expected, however, that with future modification of the system, G/WAMIS will merge with the Facility Status and Water Quality Modules.

The Cross-Reference File of latitude-longitude coordinate data currently is used in conjunction with the Facility Status and Water Quality Modules. Only the STORET-WQ (Water Quality) module of those related to STORET is used. Data flow as currently practiced, from the Water Quality Module to STORET-WQ, will be described in a later section.

The planning module under development will interface with all other WAMIS systems. A waste-load allocation and stream quality model (UDOM) and economic-financial model (ECOFIN) are major components of the planning module. Most data used by these models will be accessed from the WAMIS data base.

The above models are major tools in using the WAMIS data base as a source in developing the long-range comprehensive water quality management plan (COWAMP) for the state. The plan has a direct impact on WAMIS in that it will depend extensively upon an up-to-date data base. Unlike other long-range plans which are often outdated by the time they are printed, COWAMP will interface directly with the department's day-to-day operations as they are reflected in the WAMIS data base. Thus, being a "computer plan" rather than a "paper plan", it can readily respond to physical, social, and economic change. Also, by being interactive with the WAMIS data base, the plan will be able to automatically up-date such items as treatment needs, waste-load allocations, and construction schedules.

In summary, the systems objectives as perceived at project initiation were focused during the first year and consolidated into a comprehensive modularized system design. Subsequent efforts integrated many elements of the modular concept into a more interdependent system; however, throughout this program, the general overall framework of system purposes has been maintained. Moreover, the objectives of providing

operational and usable systems having high priority in terms of Pennsylvania's needs was achieved. Most importantly, the need for using modern EDP in the management of masses of water quality information has been demonstrated and become widely accepted by Bureau of Water Quality Management personnel.

Additionally, a dynamic and flexible system has evolved which permits not only ready modification in order to meet changing state needs, but also has capability for incorporating advances in data systems technology.

SECTION III

SYSTEM DESCRIPTION

BACKGROUND

This section is intended to describe the three modules, Facility Status, Water Quality, and Contact Modules, in terms of system input, output, and uses. The purpose of the system description is twofold. First, it will provide existing users with an overview and thus aid in managing and using WAMIS. Second, it will provide other users with a concise resume of potential uses to which the system may be put in their areas of responsibility, and an indication of the types of input and output necessary for effective use of WAMIS.

FACILITY STATUS MODULE

General Description

The Facility Status Module maintains data which identifies all facilities impinging upon the state's water system and includes approved specification criteria for each facility. Facilities included are: water supplies, bathing places, sewage collection and treatment facilities, and industrial waste treatment facilities. The system maintains and processes (for status reporting and water quality management by exception) the complete inspection and enforcement history for each facility, as well as identification and design criteria.

Table 3 provides a complete list of Facility Status Module input and output forms and reports.

To aid in describing the various inputs and outputs of the module, the following discussion is arranged by form or report.

Input

1. Establishment, Case, and Facility Information -- In order to identify a facility in detail, establishment, case, and facility information must be input into the module by field personnel. Specific coding is required for each level of information in accord with the following precise definitions.

Establishment - a person or organization responsible for ownership for one or more cases within a physically contiguous location or municipality.

Case - a division of an establishment which performs a distinct function and operates independently of other cases of the establishment.

Facility - that portion of a case which performs a distinct water or wastewater handling function; the lowest functional component of a case.

An example of each level is illustrated by the following: establishment -- Pennsylvania State University, case -- New Kensington Campus, and facility -- extended aeration treatment plant.

In general, the type of information for each level input by field personnel into WAMIS is illustrated in Table 4. As noted in the table, facility information is highly detailed and serves to completely describe a facility for each of the four major program areas: the water supply, bathing places, industrial waste, and sewage programs. For facility information, data which is common to all programs is noted in the table under the "General" category.

Example input forms are shown in Figures 2 through 6.

Specific identification numbers for each establishment, case, and facility are assigned by regional office personnel. Likewise, forms to add, change, or delete any of this information is submitted by the field on an as-needed basis.

Initial collection and coding of this descriptive information is burdensome; however, once incorporated into the system, this information

Table 3. FACILITY STATUS MODULE INPUT AND OUTPUT FORMS AND REPORTS

Input

Establishment Information
Case Information
* Facility Information
* Inspection Reports
* Enforcement Status
STORET Cards
Latitude-Longitude Location Coordinates

Output

Facility File Listing
* Identification Report
* Addendum Report
* Enforcement Status Report
* Enforcement Status Listing
* Management Action -- Enforcement Report
Management Action -- Non-Enforcement Report
Enforcement Activity Report
Enforcement Status Totals
Enforcements in DSE Over One Year
Input Validation Error Listing
Update Master Activity List
STORET Error Listing
Cross Reference Update

* Used most frequently

Table 4. ESTABLISHMENT, CASE AND FACILITY INFORMATION INPUT

Establishment

Name

Ownership

Employer Identification

County

Municipality

Type (e.g., network stations, public or private
water supply, pools, beaches, industrial
wastes, mines, public or other sewage systems)

Case

Name

Ownership

Population Served

County

Municipality

Type

Establishment Cross-Reference (currently not used)

Latitude-Longitude (currently not used)

Facility

A. General --

Name

Ownership

Topographic Map Number

County

(continued)

Table 4 (continued).

Municipality
Population Served
Municipality Served
Flow
Year of Original Operation
Year of Last Improvement
Construction Cost (year-to-date and total for prior years)
Number of Violations for Previous Year
Weeks Between Inspections
Compliance Status (e.g., compliance, violation-satisfactory progress, violation-unsatisfactory progress)
Permit Coverage
Operational Status
B. Water Supply Program --
Source of Supply
type (e.g., well, spring, infiltration gallery, natural or artificial lake, stream)
safe yield
pump capacity
primary or secondary supply
treatment
aquifers
Treatment Plant
design year
design population

(continued)

Table 4 (continued).

design maximum flow
design average flow
degree of treatment

Distribution System

design year
design population
design average flow

Transmission Line

length
size
shape
type (e.g., force main, gravity, lift
station)
difference in elevation
design year
design population
design maximum flow

Storage Unit

type (e.g., source storage, elevated,
standpipe, reservoir)
capacity

C. Bathing Place Program --

Beach

bathing load
drainage area
length
depth

Pool

design year
bathing load
design capacity
source of supply
type of drainage
type of backwash disposal
type of housing

(continued)

Table 4 (continued)

Discharge Point

type (e.g., streams, lakes, ground water)
stream name
length of outfall
drainage area

D. Industrial Waste Program --

Production or Service Unit

SIC Code
type of primary and secondary supply
(e.g., well, spring, infiltration
gallery, natural or artificial
lake, stream, public supply)

Collection System

type (e.g., separate, combined or both)
population equivalent
design maximum flow

Conveyance System

type (e.g., force main, gravity,
lift station)
length
size
shape
difference in elevation
population equivalent served
design maximum flow
number of secondary discharges

Treatment Plant

population equivalent
design flow (maximum and average)
design organic load
design suspended solids load
degree of treatment
type treatment required and provided
waste characteristics

(continued)

Table 4 (continued).

Discharge Point

stream name
length of outfall
drainage area

Storage Unit

type (e.g., lined or unlined impoundment,
above or below ground tank)
capacity

E. Sewage Program --

Collection System

type of sewer (e.g., separate, combined,
or both)
design year
design population
design maximum flow

Interceptor

type (e.g., force main, gravity, lift
station)
length
size
shape
minimum grade
design year
design population
design maximum flow
number secondary discharges

Treatment Plant

design year
design population
design flow (maximum and average)
design organic load
design suspended solids load
type of treatment required and
provided

Discharge Point

type
stream name
length of outfall
drainage area

DATE _____

ESTABLISHMENT INFORMATION

(ALL PROGRAMS)

1			2		3	
City	State	Zip	Add	Care	Drive	
C	A	C	☐	☐	☐	A

ESTABLISHMENT	NAME
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

CHANGE 8541P

1	30
---	----

EMPLOYER IDENTIFICATION

A vertical scale bar with markings from 39 to 41. The markings are at 39, 40, and 41, with intermediate tick marks every 0.2 units.

COUNTY

MUNICIPALITY

PROGRAM

CASE INFORMATION

(ALL PROGRAMS)

1	2	3
C	Add ☐ A	Delete ☐ D
	Change ☐ C	

IDENTIFICATION CODE 4.19			
County	Municipality	Type	Est

CASE

CASE NO.	CASE NAME	OWNER	ACT POP SERVED	YEAR	CROSS REFERENCE 1 (I.D. CODE)	CROSS REFERENCE 2 (STOREY II)
17		36		43		
18		37		44		
19		38		45		
20		39		46		
21		40		47		
22		41		48		
23		42		49		
24		43		50		
25		44		51		
26		45		52		
27		46		53		
28		47		54		
29		48		55		
30		49		56		
31		50		57		
32		51		58		
33		52		59		
34		53		60		
35		54		61		
36		55		62		
37		56		63		
38		57		64		
39		58		65		
40		59		66		
41		60		67		
42		61		68		
43		62		69		
44		63		70		
45		64		71		
46		65		72		
47		66		73		
48		67		74		
49		68		75		
50		69		76		
51		70		77		
52		71		78		
53		72		79		
54		73		80		
55		74		81		
56		75		82		
57		76		83		
58		77		84		
59		78		85		
60		79		86		
61		80		87		
62		81		88		
63		82		89		
64		83		90		
65		84		91		
66		85		92		
67		86		93		
68		87		94		
69		88		95		
70		89		96		
71		90		97		
72		91		98		
73		92		99		
74		93		100		

Figure 5

[illegible]

can be readily maintained as a complete description of each facility and as a file of compliance and inspection reports.

2. Inspection Reports -- Inspection reports comprise a major portion of the routine input into WAMIS. Three types of inspection reports are submitted by field inspectors in the regional offices: water supply, public beach, and waste discharge. Table 5 shows the type of information collected by the inspectors and submitted for processing by WAMIS headquarters section. Remarks can be recorded on the inspection forms and are maintained in the regional offices' files. Example report forms are shown in Figures 7 through 9.

In addition to coding of field analyses on the inspection report, a "Water or Waste Quality Report" is prepared. This report will be discussed in detail under the section on the Water Quality Module; however, it is an integral part of the facility inspection.

In the event that non-compliance is noted during an inspection, the nature of the violation is recorded directly on the inspection report and submitted to the regional Compliance and Administration Chief for action. If no violation is obvious as a result of the inspection, the inspection report is held in the regional office until sample analysis results are returned from headquarters. If the facility is in compliance, then the inspection report and the analysis results are forwarded through regional WAMIS personnel to the headquarters WAMIS section for processing.

In the event that the sample analyses reveal that the facility is in violation, then the inspection report and analysis report are sent to the regional Compliance and Administration Chief for action. A violation notification is prepared and sent to the facility's responsible official, and the Compliance and Administration Chief then prepares an Enforcement Status report (to be discussed later) and attaches it to the inspection report and analysis report. This package is then sent through regional WAMIS personnel to the headquarters WAMIS section for processing. Responsibility for enforcement resides within the region.

At stated earlier, inspections provide a major data input to WAMIS. Nearly 18,000 inspections are conducted each year.

The Bureau has issued a detailed and excellent section on coding of data in the "Policy and Procedure Manual". With minimal training, Field Staff can be expected to adequately fill out reports with little chance of error.

3. Enforcement Status -- As indicated above, when a violation is noted during inspection, the regional Compliance and Administration Chief, subsequent to violation notification, submits to WAMIS

Table 5. INSPECTION REPORT INPUT

Water Supply

Date and time of inspection

Establishment and case name

Address

Names of:

operator
responsible official
person interviewed

Telephone numbers

Population served

Current demand (maximum and average)

Number of treatment unit processes
(total and in operation)

Violations (including applicable laws
and regulations)

Location of sampling point

Field analyses

pH
color
odor
turbidity
taste
chlorides
fluorides
coliforms

Inspecting agency

(continued)

Table 5 (continued).

Compliance

federal
facility
operation
permit coverage

Operational status

Acknowledgement signatures

Public Beach

Date and time of inspection

Establishment and case names

Address

Beach name

Permittee

Person interviewed

Telephone numbers

Source of drinking water

Type of beach

Number of bathers at time of
inspection

Number of lifeguards on duty

Lifeguard certificates on file and
posting

Electrical certification

Sanitary conditions

(continued)

Table 5 (continued).

Water quality (swimming area and drinking)

sample location
coliforms

Swimming water clarity

Inspection agency

Compliance

facility
operation
permit coverage

Operational status

Acknowledgement signatures

Waste Discharge

Date and time of inspection

Establishment and case names

Address

Names of:

operator
responsible official
person interviewed

Telephone numbers

Population served

Acres under permit and already mined
(Mine Drainage Program only)

Types of treatment processes

Number of treatment units
(total and in operation)

(continued)

Table 5 (continued).

Violations (including applicable laws
and regulations)

Location of sampling point

Field analyses

pH
chlorine residual
color
odor
temperature
dissolved oxygen
specific conductivity

Average daily flow

Receiving stream appearance

Inspecting agency

Compliance

federal
interstate
facility
operation
permit coverage

Operational status

Acknowledgement signatures

Figure 7

DATE _____
TIME _____

ESTABLISHMENT										LOCATION (STREET/STATE ROUTE)										COUNTY										MUNICIPALITY																																																																															
OPERATOR NAME										VALID CERTIFICATE POSTED ☐ YES ☐ NO										TELEPHONE NO.										POP SERVED										SOURCE OF SUPPLY																																																																					
RESPONSIBLE OFFICIAL										ADDRESS										TELEPHONE NO.										CURRENT DEMAND (MGD)										WELLS																																																																					
PERSON INTERVIEWED										ADDRESS										TELEPHONE NO.										MAXIMUM										SPRINGS																																																																					
TREATMENT PROCESS										UNIT PRODUCTION TOT IN OP										REMARKS										SURFACE WATER																																																																															
WATER QUALITY LOCATION OF SAMPLING POINT										W & W QUALITY REPORT NUMBER										PH										COLOR										ODOR										TURB										TASTE										CL ₂ MG/L										F MG/L										COLIFORMS MPN/100 ML																			
IDENTIFICATION										FAC NO. 1										FAC NO. 2										FAC NO. 3										FAC NO. 4										DATE OF INSPECTION										INSPECTING AGENCY																																																	
C.O. MUN. Y EST CASE										14-18										14-18										14-18										14-18										17-22										23-25																																																	
1 C										14-18										14-18										14-18										14-18										17-22										23-25																																																	
2 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
3 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
4 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
5 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
6 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
7 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
8 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
9 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
10 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
11 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
12 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
13 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
14 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
15 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
16 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
17 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
18 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
19 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
20 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
21 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
22 A										14-18										14-18										14-18										14-18										17-22										23-25																																																	
23 A										14-18										14-18																																																																																									

**NOTE: SEE COPY 2
BEFORE SIGNING**

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
BUREAU OF WATER QUALITY MANAGEMENT

PUBLIC BEACH INSPECTION REPORT

DATE _____

Page 1

Figure 8

ESTABLISHMENT		CASE		ADDRESS		COUNTY		MUNICIPALITY	
NAME OF BEACH		PERMITEE		PERSON INTERVIEWED		TELEPHONE		DRINKING WATER QUALITY/LQC	
TYPE OF BEACH		☐ STREAM ☐ RIVER OR LAKE		☐ DISPOUNDMENT ☐ OR LAKE		NUMBER OF BATHERS AT TIME OF INSPECTION		NUMBER OF LIFEGUARDS* CERTIFICATES ON FILE	
NAME		SATISFACTORY		DRINKING WATER QUALITY		PERMIT ELECTRICAL CERTIFICATION DATE		YES ☐ NO ☐	
GENERAL SANITATION		N/A		YES		NO		VIOLATIONS	
A	MEN'S DRESSING ROOMS								
B	MEN'S TOILETS								
C	WOMEN'S DRESSING ROOMS								
D	WOMEN'S TOILETS								
E	REFUSE DISPOSAL								
F	SEWAGE								
G	AREA								
						COLIFORMS MPN/100 MI			
						SWIMMING WATER QUALITY			
						LOCATION			
						COLIFORMS MPN/100 MI			
						LOCATION			
						COLIFORMS MPN/100 MI			
						SWIMMING WATER CLARITY		☐ CLEAR ☐ TURBID	

REMARKS

IDENTIFICATION										FAC NO. 1		FAC NO. 2		FAC NO. 3		FAC NO. 4		DATE OF INSPECTION		INSPECTING AGENCY		RESPONSIBLE OFFICIAL	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
C	MUN	T	EST	CASE																			
4-5	6-8	9	10-11	12-13																			
A																							
X																							

FACILITY NAME	COMPLIANCE						PERMIT		OVER
	FED	INT	FAC	OP	COMP	STAT			
1	55	87	58	59	70	71-72			
2									
3									
4									

TITLE AND DATE	INVESTIGATOR (SIGNATURE)	TITLE AND DATE

TITLE AND DATE	PERSON INTERVIEWED (SIGNATURE)

REGIONAL OFFICE

headquarters, an Enforcement Status form along with the inspection report and analysis report. Table 6 shows the input information contained in this form. The form used for coding the input information is shown in Figure 10.

This input provides a record of an order or violation, and also provides a means for tracking the status of a variety of enforcement actions.

The Enforcement Status form also provides for step-by-step recording of subsequent steps in an enforcement action. Information on subsequent steps may come to the Bureau from a number of sources, for example, participating in legal conferences, receipt of a schedule, inspections, and initiation of a new legal tactic. Any staff member who learns of a new step completes a narrative and identification portions of the form and passes it to the regional WAMIS section for coding and processing.

4. STORET Cards -- The Bureau had used STORET cards (Figure 11) in order to specifically identify Facility locations. River Mile Index has never been used, thus reporting format has been upgraded and replaced by latitude-longitude only as described in the next paragraph.

5. Latitude-Longitude Location Coordinates -- Two methods are used for reporting location coordinates. The first is by latitude-longitude as shown in Figure 12. The second method reports in inches North and inches West using map codes for greater convenience. The input form for the latter method is shown in Figure 13. Both methods are used to add new location coordinates to the system for facility records. The methods are used when large numbers of facilities have no coordinates and relieves the coder and keypuncher from handling separate forms for each record addition.

Output

The Facility Status Module, which has been operational for nearly two years, has extensive output. Table 3 lists the reports which emanate from the system. The following discussion cites the various output reports and indicates the information contained therein.

1. Facility File Listing and Identification Report -- These two reports are identical in content, only the order in which the facilities are arranged is different. Both reports file the information input from the Facility Information form and correspond exactly to the input shown in Table 4. Because over 36,000 facilities are included in the file and are modified by nearly 18,000 inspections per year, both reports store a considerable amount of information.

The printout sequence for the Facility File Listing is according to identification code (a combination of county, municipality, program, establishment, case and facility codes). The Identification Report,

Table 6. ENFORCEMENT STATUS INPUT

Identification

establishment
case
facility
county
municipality

Status changes (e.g., add, change,
delete)

Date of violation or order notice

Permit number

Type of order or notice

Basis of compliance status
(e.g., inspection, report by recipient
of order, schedule submitted, not
submitted, delayed)

Compliance status

Issuing agency

Action responsibility

Latest enforcement action status

Date of latest action

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
WATER QUALITY MANAGEMENT

Coded By: _____
Date: _____

ENFORCEMENT STATUS

Est: _____
Case: _____
Fac: _____
Co: _____
Twp: _____

VIOLATIONS		ORDERS/NOTICE
Add, Change, Delete	1 C 2 A C D circle	Add, Change, Delete
Circle V	3 V S	Circle S
ID Code	4 [] [] [] [] [] [] [] [] 6 ID Code	
Date Viol Notice	17 [] [] [] [] [] 22	Date of Order/Notice
Circle V	23 V D S circle	Ordering Agency, D=DER; S=Other
Permit No.	24 [] [] [] [] [] [] 30	Permit No.
Date Inspect/Report	31 [] [] [] [] [] [] 36	--Leave Blank--
Type Viol	37 [] [] 38	Type Order
Sequential Number	39 [] [] 40	Sequential Number
Basis Viol Status	41 [] [] 42	Basis Compl Status
Viol Status	43 []	Compl Status
Kind Facility	44 [] [] 45	Issuing Agency
Viol Category	46 []	-- Leave Blank--
Action By	47 []	Action By
Latest Action	48 [] [] 49	Latest Action
Date of Action	50 [] [] [] [] [] [] 55	Date of Action
Old Enf Action	56 [] [] 57	Old Enf. Action
Date Old Action	58 [] [] [] [] [] [] 63	Date Old Action

Priority Code	64
---------------	----

VERBAL REPORT:

Reg. File/Data Proc/C.O. File

Signature: _____

Date: _____

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
Bureau of Water Quality Management

Figure 1)

COMPLETED BY _____ DATE _____

ESTABLISHMENT _____ CASE _____ FACILITY _____ PROGRAM _____

STORET CARDS

(CIRCLE ONE)

ADD ☐ CHANGE ☐ DELETE ☐

1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 0 ☐

IDENTIFICATION CODE

17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

STORET II

31 30 29 28 27 26 25 24 23 22 21 20 19 18

SEQ ☐ 32 33 ☐ 34

1 - FACILITY
2 - PROJECT
3 - RANDOM
SAMPLE

STORET I

MAJ MIN BASIN BASIN RIVER

35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

I MILES ☐ 42 ☐ 47 ☐ 48

II INDEX ☐ 48 ☐ 53 ☐ 59

III MILES ☐ 60 ☐ 64 ☐ 69

IV INDEX ☐ 70 ☐ 73 ☐ 78

V MILES ☐ 35 ☐ 38 ☐ 43

VI INDEX ☐ 44 ☐ 47 ☐ 52

VII MILES ☐ 53 ☐ 56 ☐ 60

VIII INDEX ☐ 61 ☐ 64 ☐ 68

IX MILES ☐ 69 ☐ 72 ☐ 76

X INDEX ☐ 35 ☐ 38 ☐ 42

XI MILES ☐ 43 ☐ 46 ☐ 50

XII INDEX ☐ 51 ☐ 54 ☐ 58

Q ☐ 3

R ☐ 3

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
BUREAU OF WATER QUALITY MANAGEMENT
LOCATION COORDINATES
(LATITUDE & LONGITUDE)

Figure 12

[illegible]

SR-850-10 REV. 4/73

LOCATION COORDINATES
(INCHES NORTH & INCHES WEST)

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES

BUREAU OF WATER QUALITY MANAGEMENT

Figure 13

1-2-3		4-5	6-8	9	10-11	12-13	14-16	17-20	21-22	23-24	25-28	29-30	31	32-33-34	35-39	
CTV		MUNIC	P	EST	CASE	FACILITY	INCHES NORTH	INCHES WEST	SEC	SEC	SEC	SEC	SEC	SEC	MAP NO.	
R	A	P							X	X		X	X	0	0	1

on the other hand, is printed out according to regional office, program type, and county. Figure 14 shows typical Identification Report output. This report is more useful to the regional offices as compared with the Facility File Listing because the Norristown regional office, for example, can identify more quickly key wastewater facilities in Bucks County using the Identification Report format.

2. Addendum Report -- This report permits tracking of the status of the facility. An extract of information from the Identification Report, the "Addendum Report", concisely lists operations status, facility ID and facility name (Figure 15).

The report is useful in providing a ready reference so that the user does not have to consult the extensive Identification Report to extract this information.

3. Enforcement Status Report, Enforcement Status Listing, and Management Action-Enforcement Report -- The content of these three reports is identical and corresponds with the input from the Enforcement Status form shown in Table 6. Whereas the Enforcement Status Report and Listing file indicates the status of all facilities input, the Management Action-Enforcement Report only lists facilities for which enforcement action is pending. The difference between the Enforcement Status Report and Enforcement Status Listing is the frequency of output. The former is issued monthly while the latter is issued quarterly. All are run on the same computer program and are arranged by regional office, program, and county in the printout. Examples of each are shown in Figures 16, 17, and 18.

Compliance and Administrative chiefs in the regional offices use these reports routinely and extensively to keep abreast of compliance status and required action deadlines.

4. Management Action - Non-Enforcement Report -- Despite the similarity in name with the previously discussed report, output from the Management Action - Non-Enforcement Report is quite different. Information is printed out in terms of:

- identification code
- name
- kind of facility
- date of last inspection
- frequency of inspection
- compliances
 - Facility
 - Operation
 - Interstate
 - Federal
 - Permit coverage
 - Operational status

Figure 14

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES IDENTIFICATION REPORT									
NORTHAMPTON COUNTY -BUCKS COUNTY									
PAGE 1026 9/30/73									
CD-MUN-T-ES-CS-PAC	NAME	CN	POP	YR	C	O	P	I	A
ALL-PAC-OP-INTER-PES-OS									
*SENSALEM TWP.									
09-004-7-01-01-101	EPFL PIPE	DISCH PT	CD	NO	00	00	00	00	00
	KIND PAC	NO	NO	NO	NO	NO	NO	NO	NO
	MAP NO	09-004-7-01-01-101	00	00	00	00	00	00	00
	ACT LOC	09-004-7-01-01-101	00	00	00	00	00	00	00
	TYP DISCH	PT	FL	STA	LENG	OUTFAL	000	000	000
	STORYET 2	401000-000745416							
	STORYET 1	00-00-000							
*BRISTOL BORO									
09-005-7-01-00-000	BRISTOL BORO	MUN	16,000	71	2	2	2	2	2
09-005-7-01-01-000	BRISTOL BORO	MUN	16,000	71	2	2	2	2	2
09-005-7-01-01-100	TP PLANT	TRT PL	NO	NO	NO	NO	NO	NO	NO
	KIND PAC	NO	NO	NO	NO	NO	NO	NO	NO
	MAP NO	09-005-7-01-01-100	00	00	00	00	00	00	00
	ACT LOC	09-005-7-01-01-100	00	00	00	00	00	00	00
	DESIGN YR	0000	00	00	00	00	00	00	00
	DESIGN POP	22,000	00	00	00	00	00	00	00
	STORYET 2	400510-000745116.0							
	STORYET 1	00-00-000							
*BRISTOL TWP.									
09-005-7-01-01-101	EPFL PIPE	DISCH PT	CD	NO	00	00	00	00	00
	KIND PAC	NO	NO	NO	NO	NO	NO	NO	NO
	MAP NO	09-005-7-01-01-101	00	00	00	00	00	00	00
	ACT LOC	09-005-7-01-01-101	00	00	00	00	00	00	00
	TYP DISCH	PT	FL	STA	LENG	OUTFAL	000	000	000
	STORYET 2	400510-000745116.0							
	STORYET 1	00-00-000							
09-005-7-01-01-200	COLL SYS	COLL SYS	NO	NO	NO	NO	NO	NO	NO
	KIND PAC	NO	NO	NO	NO	NO	NO	NO	NO
	MAP NO	09-005-7-01-01-200	00	00	00	00	00	00	00
	ACT LOC	09-005-7-01-01-200	00	00	00	00	00	00	00
	TYP SENER	SEPARATE	DESIGN	YEAR	0000	0000	0000	0000	0000
	STORYET 2	400510-000745116.0							
	STORYET 1	00-00-000							

Figure 14 (continued)

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES IDENTIFICATION REPORT NORRISTOWN SEAGE BUCKS COUNTY									
CD-MUN-T-ES-SS-PAC	NAME	ENV	POP	YR	CUMPLIANCE	ALL-FAC-UP-INT-PED-PER-DS	1	BASIN CODE 1090	DATE LA 03-22-72 EI 0000000000
08-001-7-01-00-300	L B C J M A	AUTH					1		
08-001-7-01-01-000	L B C J M A	AUTH	82,000	71			1	Y	C/R 00-007-C-00-00-000 000000,0-0000000,0
08-001-7-01-01-100	TR PLANT	AUTH	82,000	71			1	0	0
	KIND PAC	TAT-PL	NO RUN SERV 04				1	0	0
	MAP NO	08-24-2	YR 0810-00 32				1	0	0
	ACT LOC	09-01	YR LST IMP 69				1	0	0
	DESIGN YR	1975	DES M A PL 1300000				1	0	0
	DESIGN PIP	1-2000	DES A G FL 1300000				1	0	0
	STREET 2	4007278-0744936.1					1	0	0
	STREET 1	00-00-000					1	0	0
08-001-7-01-01-101	EPFL PIPE	AUTH	82,000	71			1	0	0
	KIND PAC	DISCH PT	NO RUN SERV 04				1	0	0
	MAP NO	08-24-2	YR 0810-00 32				1	0	0
	ACT LOC	09-01	YR LST IMP 69				1	0	0
	TYP DESCH	PT FLOW STR	LENG 000000				1	0	0
	STREET 2	4007278-0744936.1					1	0	0
	STREET 1	00-00-000					1	0	0
08-001-7-01-01-300	LEWISTOWN	AUTH	82,000	71			1	0	0
	KIND PAC	COLL SYS	NO RUN SERV 01				1	0	0
	MAP NO	08-24-2	YR 0810-00 32				1	0	0
	ACT LOC	09-01	YR LST IMP 69				1	0	0
	TYP SEWER	SEPARATE	DESIGN YEAR 0000				1	0	0
	STREET 2	40002528-0745029.7					1	0	0
	STREET 1	00-00-000					1	0	0
08-001-7-01-01-305	BRISTOL TWP	AUTH	82,000	71			1	0	0
	KIND PAC	COLL SYS	NO RUN SERV 01				1	0	0
	MAP NO	08-24-2	YR 0810-00 32				1	0	0
	ACT LOC	09-01	YR LST IMP 69				1	0	0
	TYP SEWER	SEPARATE	DESIGN YEAR 0000				1	0	0
	STREET 2	40002528-0745029.7					1	0	0
	STREET 1	00-00-000					1	0	0

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
ADDITIONAL REPORT

PAGE: 300

Figure 15

COUNTY WESTMORELAND COUNTY		REGION PITTSBURGH		PRG OTHER SE-AGE		DATE 09/30/73	
COLUM-TES-CE-SEC ESTABLISHMENT NAME		CASE NAME		FACILITY NAME		OPERATION'S STATUS	
RESTRAVER TWP. 101		(CONTINUED)		PR CAST INC.		04-SATISFACTORY OPERATION	
SALEM TWP.		CONSOLIDATED GAS SUP					
65-952-8-01		COMPANY PUSING STP					
100		STP TO 101-10 PLTA				04-SATISFACTORY OPERATION	
101		ON 101-101-10 STP				04-SATISFACTORY OPERATION	
65-952-8-02		COMPASSION STP STP					
100		SEPTIC TANK SAND FIL				04-SATISFACTORY OPERATION	
101		ON VCP OUTFALL				04-SATISFACTORY OPERATION	
65-952-8-03		PERSES WHEEL PARK					
100		PERSES WHEEL PR STP				04-SATISFACTORY OPERATION	
101		PERSES WHEEL PR STP				04-SATISFACTORY OPERATION	
65-952-8-04		TENTON INC					
100		TENTON INC SEAGE S				04-SATISFACTORY OPERATION	
101		EXTENDED AGATION				04-SATISFACTORY OPERATION	
65-952-8-05		CRASCO SALON SCH DIS					
100		EXTENDED AGATION				04-SATISFACTORY OPERATION	
101		DISCHARGE PIPE				04-SATISFACTORY OPERATION	
65-952-8-06		LAMPICHTER TEST INC					
100		LAMPICHTER TEST INC				04-SATISFACTORY OPERATION	
101		LAMPICHTER TEST INC				04-SATISFACTORY OPERATION	
65-952-8-07		1040 DEVLP COPS					
100		1040 DEVLP COPS				04-SATISFACTORY OPERATION	
101		1040 DEVLP COPS				04-SATISFACTORY OPERATION	
65-952-8-08		WESTACORSE ELEC CORP					
100		WALTZ MILL A D STP				04-SATISFACTORY OPERATION	
101		WALTZ MILL A D STP				04-SATISFACTORY OPERATION	
65-952-8-09		INTERNAL PAPER CO					
100		INTERNAL PAPER CO				04-SATISFACTORY OPERATION	
101		INTERNAL PAPER CO				04-SATISFACTORY OPERATION	
65-952-8-10		YOUNG SCHEIDT					
100		YOUNG SCHEIDT				04-SATISFACTORY OPERATION	
101		YOUNG SCHEIDT				04-SATISFACTORY OPERATION	
65-952-8-11		SEAK PINS HALL XCP					
100		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	
101		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	
65-952-8-12		SEAK PINS HALL XCP					
100		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	
101		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	
65-952-8-13		SEAK PINS HALL XCP					
100		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	
101		SEAK PINS HALL XCP				04-SATISFACTORY OPERATION	

SOUTH MONTGOMERY TWP.



Figure 16

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES ENFORCEMENT STATUS REPORT WILLIAMSPORT - SEWAGE -CENTRE COUNTY-										PAGE 650 REPORT DATE 2/4/74 PREV RPT DTE 12/31/73
CD-RUN-T-ES-CS-FAC	ESTABLISHMENT	CASE	FACILITY	COMPLIANCES						
BELLFONTE RDND										
BELLFONTE RDND										
14-908-7-01-01-100	BELLFONTE MSA EST	BELLFONTE MSA CAS	B CONT STAB	1	1	0	0	1	04	
DATE NOTICE: 10-12-73	PRIORITY: 4	TYPE ORD/VN: TERTIARY	BASIS STATUS: SCO	ISS. AGENCY: CEN DEF	LAST-INSPECT: 11-16-73					
PERMIT NO: 2675009	SEQUENCE #1: 01	VN/CPL STAT: VN UNSAT			0-0-0					
STATUS: 10-12-73 RESPONSE PERIOD	10-25-73 HEAR REQUESTED				ACTION: AVE	REG OFFICE				
14-802-7-01-01-100										
DATE NOTICE: 10-23-73	PRIORITY: 3	TYPE ORD/VN: DVN LAW	BASIS STATUS: INSPECTION	VIOL FACILITY: TMTY PL	LAST-INSPECT: 11-16-73					
PERMIT NO: 000000	SEQUENCE #1: 01	VN/CPL STAT: VN UNSAT			INSPECTION: 07-14-73					
STATUS: 10-23-73 VN NOTICE GIVEN					ACTION: AVE	REG OFFICE				
14-802-7-01-01-101										
DATE NOTICE: 05-14-72	PRIORITY: 4	TYPE ORD/VN: DVN LAW	BASIS STATUS: INSPECTION	VIOL FACILITY: TMTY PL	LAST-INSPECT: 11-16-73					
PERMIT NO: 2675009	SEQUENCE #1: 01	VN/CPL STAT: VN UNSAT			INSPECTION: 03-15-72					
STATUS: 05-10-72 VN NOTICE GIVEN					ACTION: AVE	REG OFFICE				
BENEFIT TWO										
14-908-7-01-01-100	UNIV AREA JT AU EST	UNIV AREA JT AU CAS	TEXT TREATMENT	1	1	0	0	1	04	
DATE NOTICE: 10-25-68	PRIORITY: 4	TYPE ORD/VN: TERTIARY	BASIS STATUS: HEARING	ISS. AGENCY: SHD	LAST-INSPECT: 09-13-73					
PERMIT NO: 2675003	SEQUENCE #1: 01	VN/CPL STAT: VN SAT PRG			0-0-0					
STATUS: 11-12-68 HEAR REQUESTED	05-11-71 HEAR DENIED/WITHDRAW	09-15-71 ADJ WDN			ACTION: AVE	ATTY MOG C				
FERGUSON TWP										
14-910-7-01-01-100	FERGUSON TWP AT EST	FERGUSON TWP AT CAS	EXT ACRATION	1	3	0	0	1	05	
DATE NOTICE: 10-25-68	PRIORITY: 4	TYPE ORD/VN: TERTIARY	BASIS STATUS: SCO	ISS. AGENCY: HNT ISSU	LAST-INSPECT: 12-20-73					
PERMIT NO: 0026155	SEQUENCE #1: 01	VN/CPL STAT: VN UNSAT			0-0-0					
STATUS: 10-25-68 SCO RETURNED	05-24-73 ENF EDNF	06-15-73 SCO SUBMITTED			ACTION: AVE	REG OFFICE				

Figure 16 (continued)

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES ENFORCEMENT STATUS REPORT PITTSBURGH - INDUSTRIAL WASTE - BEAVER COUNTY -										PAGE REPORT DATE 2/4/78 PREV RPT DTE 12/31/73
CO-MUN-T-ES-CS-FAC	ESTABLISHMENT	CASE	FACILITY	COMPLIANCES						
PAC-OP-INT-FED-PFR-OS										
FREEDOM BORO										
04-809-5-01-01-010	ASHLAND OILCHEFFIN CO	VALVOLINE OIL CO	OIL REFINERY	1	1	1	1	4	04	
VIOLATION	PRIORITY: 000 3 000									
DATE NOTICED: 03-13-72	TYPE ORD/VNI: DWN LAW	BASIS STATUS: SCO SUBMTD	VINL FACILITY PR/SV UN	INSP/REPT: 00-00-00						
PERMIT NO: 0000000	SEQUENCE #: 01	VN/CPL STAT: VN SAT PRG	VN-CATEGORVI FACILITY	ACTION DVI	REG OFFICE					
STATUS:										
04-78-72 REF ATTY FOR APP ACT	01-02-73 STIP AGREED TO	01-11-73 VN NOTICE GIVEN								
FREEDOM BORO										
04-809-5-01-01-013	ASHLAND OILCHEFFIN CO	VALVOLINE OIL CO	SEEPS FROM RIVER BAN	3	0	3	2	3	03	
VIOLATION	PRIORITY: 000 3 000									
DATE NOTICED: 01-18-73	TYPE ORD/VNI: DWN LAW	BASIS STATUS: INSPECTION	VIOL FACILITY DISCH PT	INSP/REPT: 01-18-73						
PERMIT NO: 0000000	SEQUENCE #: 01	VN/CPL STAT: VN UNSAT	VN-CATEGORVI FACILITY	ACTION DVI	REG OFFICE					
STATUS:										
07-26-73 REF ATTY FOR APP ACT										
GREENE TWP										
04-933-5-02-01-011	PEGGS RUN COAL EST	PEGGS RUN COAL CAS	SETTLING POND 3	1	3	3	0	1	05	
VIOLATION	PRIORITY: 000 3 000									
DATE NOTICED: 02-25-71	TYPE ORD/VNI: DWN LAW	BASIS STATUS: WEARING	VINL FACILITY TRNTHY PL	INSP/REPT: 01-10-72						
PERMIT NO: 0470209	SEQUENCE #: 01	VN/CPL STAT: VN UNSAT	VN-CATEGORVI OPERATION	ACTION DVI	ATTY PITT					
STATUS:										
07-08-71 SUPMARY MON	11-01-71 STIP BEING NEGOT ATTY	10-10-72 REF FOR CIV PEN HEAR								
MANAVER TWP										
04-036-5-01-01-012	THOMAS WRIGHT	THOMAS WRIGHT	WRIGHT FARM	3	0	3	0	3	03	
VIOLATION	PRIORITY: 000 3 000									
DATE NOTICED: 06-13-73	TYPE ORD/VNI: DWN LAW	BASIS STATUS: INSPECTION	VINL FACILITY DISCH PT	INSP/REPT: 06-13-73						
PERMIT NO: 0000000	SEQUENCE #: 01	VN/CPL STAT: VN UNSAT	VN-CATEGORVI FACILITY	ACTION DVI	REG OFFICE					
STATUS:										
06-13-73 REF ATTY FOR APP ACT										
KROPPLE BORO										
04-940-5-01-01-031	BABCOCK WILCOX EST	BABCOCK WILCOX CAS	24" CONCRETE	3	0	3	0	3	03	
VIOLATION	PRIORITY: 000 3 000									
DATE NOTICED: 03-15-72	TYPE ORD/VNI: DWN LAW	BASIS STATUS: SCO SUBMTD	VINL FACILITY DISCH PT	INSP/REPT: 02-04-72						
PERMIT NO: 0000000	SEQUENCE #: 01	VN/CPL STAT: VN SAT PRG	VN-CATEGORVI FACILITY	ACTION DVI	ATTY PITT					
STATUS:										
03-15-72 VN NOTICE GIVEN	03-20-72 COMPL LTR SUBMITTED	08-23-72 REF ATTY FOR APP ACT	12-16-72 STIP AGREED TO							
12-19-72 RETURNED TO BUREAU										

Figure 17

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES ENFORCEMENT STATUS LISTING WILKESPORT, SEAGOE LYCOMING COUNTY										PAGE 1034 REPORT DATE 9/30/73
COMPLAINT-ES-CSPAC	ESTABLISHMENT	CASE	FACILITY	CCHMPLTANCS	PAC-OP-INT-PED-PER-OS					
MONTGOMERY BRD										
41-233-7-01-01-100	MONTGOMERY MS AUT EST	PRIORITY 000 4 000	MONTGOMERY MS AUT CAS	SETTLING & CHEMICAL	1 1 0 0 1 04					
DATE NOTICE 10-06-72	TYPE ORD/VN 01	SEQUENCE #1 01	BASIS STATUS/INSPECTION VIOL FACILITY INTMT PL	INSPECTION	10-06-72					
PERMIT NO1 0000000	SEQUENCE #1 01	VN/CPL STAT RECT ACNO	VN-CATEGORY OPERATION	ACTION BY1	REG OFFICE					
11-09-72 REF ATTY FOR APP ACT 11-10-72 RETURNED TO BUREAU 08-09-73 COMPLIANCE ACHIEVED 0-0										
41-233-7-01-1-101	MONTGOMERY MS AUT EST	PRIORITY 000 4 000	MONTGOMERY MS AUT CAS	TREATED EFFLUENT 100	1 1 0 0 1 04					
DATE NOTICE 10-06-72	TYPE ORD/VN 01	SEQUENCE #1 01	BASIS STATUS/INSPECTION VIOL FACILITY DISCH PT	INSPECTION	10-06-72					
PERMIT NO1 0000000	SEQUENCE #1 01	VN/CPL STAT RECT ACNO	VN-CATEGORY OPERATION	ACTION BY1	REG OFFICE					
11-09-72 REF ATTY FOR APP ACT 11-10-72 RETURNED TO BUREAU 08-09-73 COMPLIANCE ACHIEVED 0-0										
41-233-7-01-1-200	MONTGOMERY MS AUT EST	PRIORITY 000 4 000	MONTGOMERY MS AUT CAS	MONTGOMERY P.T. 100	1 1 0 0 1 04					
DATE NOTICE 10-06-72	TYPE ORD/VN 01	SEQUENCE #1 01	BASIS STATUS/INSPECTION VIOL FACILITY CONN SYS	INSPECTION	10-06-72					
PERMIT NO1 0000000	SEQUENCE #1 01	VN/CPL STAT RECT ACNO	VN-CATEGORY OPERATION	ACTION BY1	REG OFFICE					
11-09-72 REF ATTY FOR APP ACT 08-06-73 COMPLIANCE ACHIEVED 0-0										
MUNCY HSA										
41-6-4-7-01-01-100	MUNCY HSA	EST	MUNCY HSA	CAS	1 1 0 0 1 04					
DATE NOTICE 08-18-69	TYPE ORD/VN 01	SEQUENCE #1 01	BASIS STATUS/INSPECTION VIOL FACILITY INTMT PL	INSPECTION	08-18-69					
PERMIT NO1 0000190	SEQUENCE #1 01	VN/CPL STAT RECT ACNO	VN-CATEGORY OPERATION	ACTION BY1	REG OFFICE					
02-07-72 SCD SUBMITTED										
WILKESPORT										
41-001-7-01-01-100	WILKESPORT MS AUT EST	PRIORITY 000 4 000	WILKESPORT MS AUT CAS	AERATION SETTLING	1 1 0 0 1 04					
DATE NOTICE 06-20-68	TYPE ORD/VN 01	SEQUENCE #1 01	BASIS STATUS/INSPECTION VIOL FACILITY INTMT PL	INSPECTION	06-20-68					
PERMIT NO1 0007144	SEQUENCE #1 01	VN/CPL STAT RECT ACNO	VN-CATEGORY OPERATION	ACTION BY1	ATTY MOB C					
04-08-72 PRELIM INJ INITIATED 05-23-72 ORDER SUPERCEDED										



Figure 17 (continued)

COMMONWEALTH OF PENNSYLVANIA									
DEPARTMENT OF ENVIRONMENTAL RESOURCES									
PITTSBURGH STATE UNIVERSITY									
-PAYETTE COUNTY-									
CD-MUN-T-ES-CS-PAC	ESTABLISHMENT	CASE	FACILITY	COMPLIANCE			PAC-OP-INT-FED-PER-OS		
GERMAN TWP.									
26-02-72-01-01-101	GERMAN TWP	GERMAN TWP SS	NUMEROUS RAW DISCH	1	0	0	0	0	03
DATE NOTICE 04-27-72	PRIORITY 000 3 000	BASIS STATUS/SCD SUBMTD	ISS. AGENCY/ CENT OFF						00-00-0
PERMIT NO. 000000	SEQUENCE M1 01	V/CPL STATE VN SAT PRO	OPERATION	ACTION BY	ATTY HOB C				
STATUS 05-12-72	HEAR REQUESTED	12-08-72 SCD SUBMITTED							
JEFFERSON TWP.									
26-02-72-01-01-101	JEFFERSON TWP	JEFFERSON TWP SS	MULTIPLE RAW DISCH	1	0	0	0	0	03
DATE NOTICE 04-27-72	PRIORITY 000 3 000	BASIS STATUS/SCD SUBMTD	ISS. AGENCY/ CENT OFF						00-00-0
PERMIT NO. 000000	SEQUENCE M1 02	V/CPL STATE VN SAT PRO	OPERATION	ACTION BY	REG OFFICE				
STATUS 05-12-72	HEAR REQUESTED	12-08-72 SETTLEMENT/CONSENT	01-04-73 SCD SUBMITTED						
JEFFERSON TWP.									
26-02-72-01-01-101	JEFFERSON TWP	JEFFERSON TWP SS	MULTIPLE RAW DISCH	1	0	0	0	0	03
DATE NOTICE 04-27-72	PRIORITY 000 3 000	BASIS STATUS/SCD SUBMTD	ISS. AGENCY/ CENT OFF						00-00-0
PERMIT NO. 000000	SEQUENCE M1 01	V/CPL STATE VN SAT PRO	OPERATION	ACTION BY	REG OFFICE				
STATUS 05-12-72	HEAR REQUESTED	12-08-72 SETTLEMENT/CONSENT	01-04-73 SCD SUBMITTED						
LUZERNE TWP.									
26-02-72-01-01-101	LUZERNE TWP SUPERVOR	LUZERNE TWP SUPERVOR	OUTFALL PIPES TO R	2	0	0	0	0	03
DATE NOTICE 04-27-72	PRIORITY 000 3 000	BASIS STATUS/SCD SUBMTD	ISS. AGENCY/ CENT OFF						00-00-0
PERMIT NO. 000000	SEQUENCE M1 01	V/CPL STATE VN SAT PRO	OPERATION	ACTION BY	REG OFFICE				
STATUS 05-12-72	HEAR REQUESTED	06-29-72 ADJ WCN	12-08-72 SCD SUBMITTED						
LUZERNE TWP.									
26-02-72-01-01-101	LUZERNE TWP SUPERVOR	LUZERNE TWP SUPERVOR	OUTFALL PIPES TO R	2	0	0	0	0	03
DATE NOTICE 04-27-72	PRIORITY 000 3 000	BASIS STATUS/SCD SUBMTD	ISS. AGENCY/ CENT OFF						00-00-0
PERMIT NO. 000000	SEQUENCE M1 02	V/CPL STATE VN SAT PRO	OPERATION	ACTION BY	REG OFFICE				
STATUS 04-27-72	SCD SUBMITTED								

רצו

53

DEPARTMENT OF ENVIRONMENTAL RESOURCES
MANAGEMENT SYSTEMS DIVISION
6800 ROUTE 100
LANCASTER, PENNSYLVANIA 17602
REPORT DATE 9/30/79
PREP BY DTE
PSS 375

54

In addition, there is a message portion of the report. Because no enforcement action is involved, a typical message might be "not inspected in 12 months". Figure 19 shows a typical report printout. The value of this report is highly dependent upon quick response and turn-around times. Because the workload on higher priority items currently does not permit the rapid response required, the Bureau has temporarily discontinued issuing this report.

5. Enforcement Activity Report, Enforcement Status Totals, Enforcements in DSE Over One Year -- These three enforcement-related reports are less used than those previously discussed.

The Enforcement Activity Report cites orders and violations during the report period (monthly) which have been added, referred to the Deputy Secretary for Enforcement (DSE), returned to the Bureau of Water Quality Management, and achieved compliance. Additionally, the report indicates workflow during the report period and action categories for orders and violations. Figure 20 shows example output.

Violations and orders are collated according to regional office and are listed by priority according to satisfactory progress, unsatisfactory progress, and repeat violations.

Enforcement Status Totals (shown in Figure 21) give information on violations and orders outstanding as of the report data with: totals by regions, those being processed by office, enforcement action percentages by program, summary percentages by program, age of actions in the hands of the Deputy Secretary for Environment, and a history of workflow by report period.

The report on Enforcements in DSE (Deputy Secretary for Enforcement) Over One Year is a record of orders or violations referred to the office of the Deputy Secretary for Enforcement over one year in age. This record is reported in terms of facility identification code, type of plant, and compliance status. Example output is shown in Figure 22.

6. Input Validation Error Listing and STORET Error Listing -- Both of these output reports are used when errors are identified by validation routines in processing. The errors are collated and compiled according to regional office where they are sent for corrective action. In the case of STORET card errors, the report notes the record on file and cites the reason for data rejection. Example output is shown in Figures 23 and 24, respectively.

7. Update Master Activity List and Cross-Reference Update -- Although both of these reports are updates, they are very different. The Update Master Activity List (Figure 25) compiles additions, changes, and deletions for the following categories of information: establishments, cases, facilities, orders, violations, or inspections. On the

Figure 19

[illegible]

Figure 19 (continued)

CO-001-TS-05-PAC	NAME	4-10 PAC	LAST 1-SP	FREQ INSP	COMPLIANCE S:	MESSAGE
62-001-01-01-01	OUTFALL	DISCH PI	0-000	20 YRS	1 1 0 0 1 01	NOT INSPECTED 12 MONTHS
62-001-01-01-02	EXT ABRACTION	TOTAL PI	0-000	20 YRS	1 1 0 0 1 01	NOT INSPECTED 12 MONTHS
62-001-01-01-03	CUTBOLL SEWER	DISCH PI	0-000	20 YRS	1 1 0 0 1 01	NOT INSPECTED 12 MONTHS

Figure 20

SRP210 COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT PAGE 3 RUN DATE 03/18/74														
VIOLATIONS ADDED DURING REPORT PERIOD														
PROGRAM-- SEWAGE														
PG	OFF	VIOLATIONS BY PRIORITY										TOTAL		
		I	II	III	IV	V	VI	NONE	VIOL	SAT	UNSAT	ESIS	CASES	PACS
PROGRAM-- OTHER SEWAGE														
ADPR	0	0	1	0	0	0	0	0	0	0	0	1	1	1
ATNG	0	0	0	0	0	0	0	0	0	0	0	0	0	0
READ	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	2	0	0	1	1	0	4	0	4	1	0	0
AMPT	1	0	1	3	1	3	0	0	9	0	5	0	0	0
PITY	1	0	0	0	0	0	0	0	1	1	8	2	1	0
HEAD	0	0	1	0	0	1	0	0	2	0	1	0	0	0
HARA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	2	0	13	3	2	5	0	0	25	6	19	4	2	1
PROGRAM-- SING FAM SEWAGE														
ADPR	0	0	2	0	0	1	0	0	3	2	1	1	1	1
ATNG	0	0	0	0	0	0	0	0	0	0	0	0	0	0
READ	0	0	1	0	0	1	0	0	1	0	3	0	0	0
LENT	0	0	0	0	0	1	0	0	3	0	0	2	0	0
AMPT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PITY	0	0	0	0	0	1	0	0	3	3	0	2	2	2
HEAD	0	0	2	0	0	0	0	0	2	0	0	1	0	0
HARA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	7	2	3	2	0	0	14	7	7	7	7	6
PROGRAM-- SING FAM SEWAGE														
ADPR	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ATNG	0	0	0	0	0	0	0	0	0	0	0	0	0	0
READ	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AMPT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PITY	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HARA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FINAL TOTAL	3	1	42	20	7	19	0	0	92	44	48	18	16	8

Figure 20 (continued)

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT ENFORCEMENT ACTIVITY REPORT FROM 01/01/74 TO 01/31/74 PAGE 6 SUN DATE 03/18/74														
DROPS ADDED DURING REPORT PERIOD														
PROGRAM- SEWAGE														
REG OFF	I	II	III	IV	V	VI	NONE	TOTAL	ORDERS	SAT	UNSAT	TOTAL	REVIEW	REPEAT VIOLATORS...
														ESIS CASES FSES
NORM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WING	0	0	0	2	0	0	0	2	0	2	0	0	0	1
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	1
LENT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ADPT	20	0	0	0	0	0	0	20	0	20	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HARM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	20	0	1	4	0	0	0	25	22	3	0	4	4	2
PROGRAM- OTHER SEWAGE														
NORM	0	0	1	0	0	1	0	0	2	1	0	0	0	0
WING	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ADPT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HARM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	1	0	0	1	0	2	1	1	0	1	1	0
PROGRAM- SING FAM SEWAGE														
NORM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WING	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ADPT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HARM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FINAL TOTAL	21	0	3	4	2	1	0	31	23	7	1	5	5	2

Figure 20 (continued)

[illegible]

Figure 20 (continued)

SRPZIO COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
BUREAU OF WATER QUALITY MANAGEMENT
PAGE 8
VIOLATIONS REFERRED TO DSE DURING REPORT PERIOD FROM 01/01/74 TO 01/31/74
RUN DATE 03/10/74

REG CFF	VIOLATIONS BY PRIORITY					TOTAL			TOTAL		
	I	II	III	IV	V	VI	NONE	VIOL	SAT	UNSAT	
NOPR	0	0	0	0	0	0	0	0	0	0	
KING	0	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	0	
LENT	0	0	0	0	0	0	0	0	0	0	
WPT	0	0	0	0	0	0	0	0	0	0	
PITT	0	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	0	
HARR	0	0	0	0	0	0	0	0	0	0	

PROCES REFERRED TO DSE DURING REPORT PERIOD

REG CFF	ORDERS BY PRIORITY					TOTAL			TOTAL		
	I	II	III	IV	V	VI	NONE	ORDERS	SAT	UNSAT	REVIEW
NOPR	0	0	0	0	0	0	0	0	0	0	0
KING	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	0	0	0	0	0	0	0	0	0
WPT	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
HARR	0	0	0	0	0	0	0	0	0	0	0

FINAL TOTALS

VIOLATIONS	0	1	0	0	0	0	0	1	1	0	
ORDERS	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	1	0	0	0	0	0	1	1	0	0

Figure 20 (continued)

SRP210											
COMMONWEALTH OF PENNSYLVANIA											
DEPARTMENT OF ENVIRONMENTAL RESOURCES											
BUREAU OF WATER QUALITY MANAGEMENT											
PAGE 9											
RUN DATE 03/10/74											
VIOLATIONS RETURNED TO BQM DURING REPORT PERIOD											
REG OFF	VIOLATIONS BY PRIORITY.....										
	I	II	III	IV	V	VI	NONE	TOTAL VIOL	TOTAL SAT	TOTAL UNSAT	
DOCK	0	0	0	0	0	0	0	0	0	0	
WING	0	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	0	
LENT	0	0	0	0	0	0	0	0	0	0	
EMPT	0	0	0	0	0	0	0	0	0	0	
PITY	0	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	0	
WARM	0	0	0	0	0	0	0	0	0	0	
ORDERS RETURNED TO BQM DURING REPORT PERIOD											
REG OFF	ORDERS BY PRIORITY.....										
	I	II	III	IV	V	VI	NONE	TOTAL ORDERS	TOTAL SAT	TOTAL UNSAT	TOTAL REVIEW
DOCK	0	0	0	0	0	0	0	0	0	0	0
WING	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
LENT	0	0	0	0	0	0	0	0	0	0	0
EMPT	0	0	0	0	0	0	0	0	0	0	0
PITY	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
WARM	0	0	0	0	0	0	0	0	0	0	0
FINAL TOTALS											
VIOLATIONS	0	0	0	0	0	0	0	0	0	0	0
ORDERS	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0	0



Figure 20 (continued)

SRP210	COMMONWEALTH OF PENNSYLVANIA									
FACILITY STATUS	DEPARTMENT OF ENVIRONMENTAL RESOURCES									
	BUREAU OF WATER QUALITY MANAGEMENT									
VIOLATIONS COMPLIANCE ACHIEVED DURING REPORT PERIOD										
FROM 01/01/74 TO 01/31/74										
PAGE 10										
RUN DATE 03/18/74										
REG OFF	VIOLATIONS BY PRIORITY									
	I	II	III	IV	V	VI	NONE	TOTAL	VIOL	
NOR	0	0	0	0	0	0	0	0	0	
ING	0	0	0	0	0	2	0	0	2	
HEAD	0	0	0	0	0	0	0	0	0	
LEFT	0	0	0	0	0	0	0	0	0	
AMPT	0	0	0	0	0	0	0	0	0	
PIYT	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	
NRPH	0	0	0	0	0	0	0	0	0	
ORDERS COMPLIANCE ACHIEVED DURING REPORT PERIOD										
REG OFF	ORDERS BY PRIORITY									
	I	II	III	IV	V	VI	NONE	TOTAL	ORDERS	
NOR	0	0	0	0	0	0	0	0	0	
ING	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	
LEFT	0	0	0	0	0	0	0	0	0	
AMPT	0	0	0	0	0	0	0	0	0	
PIYT	0	0	0	0	0	0	0	0	0	
HEAD	0	0	0	0	0	0	0	0	0	
NRPH	0	0	0	0	0	0	0	0	0	
FINAL TOTALS										
VIOLATIONS	0	0	0	0	0	2	0	0	2	
ORDERS	0	0	0	0	0	0	0	0	0	
TOTAL	0	0	0	0	0	2	0	0	2	

Figure 20 (continued)

COMMONWEALTH OF PENNSYLVANIA												
DEPARTMENT OF ENVIRONMENTAL RESOURCES												
BUREAU OF WATER QUALITY MANAGEMENT												
EFFLUENT ACTIVITY REPORT FROM 01/01/76 TO 01/31/76												
WORMLEIGH DURING REPORT PERIOD												
PRIORITY												
II	III	IV	V	VI	NONE	TOTAL ACTIONS	SAT	TOTAL UNSAT	TOTAL REVIEW	ESTS	REPEAT VIOLATIONS...	PAGES
1	2	3	4	5	6	7	8	9	10	11	12	13
VIC. ACTIONS ADDED	3	1	42	20	7	19	0	92	54	40	10	0
ORDERS ADDED	21	0	3	4	2	1	0	31	23	7	5	0
TOTAL	24	1	45	24	9	20	0	123	77	55	21	10
VIC. SLIPPER USE	0	1	0	0	0	0	0	1	1	0	0	0
PROG. REPER. DSF	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	1	0	0	0	0	0	1	1	0	0	0
VIC. SLIPPER BATH	0	0	0	0	0	0	0	0	0	0	0	0
PROG. REPER. BATH	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
VIC. ACHVED COMP	0	0	0	0	0	2	0	2	2	0	0	0
PROG. ACHVED COMP	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	2	0	2	2	0	0	0

Figure 20 (continued)

SAP210 COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT PAGE 12 RUN DATE 03/19/74											
ACTION CATEGORY FOR VIOLATIONS DURING PERIOD											
ADMINISTRATIVE COMPLIANCE											
REG OFF	1	2	3	4	5	6	7	8	9	10	11
VIOLATIONS BY PRIORITY	VI	VI	VI	VI	VI	VI	VI	VI	VI	VI	VI
TOTAL	VIOL	TOTAL	SAT	UNSAT							
NOR	0	0	0	0	0	0	0	0	0	0	0
KING	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
LEFT	0	0	0	0	0	0	0	0	0	0	0
RIGHT	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
HARR	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0
CRIMINAL ENFORCEMENT											
NOR	0	0	0	0	0	0	0	0	0	0	0
KING	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
LEFT	0	0	0	0	0	0	0	0	0	0	0
RIGHT	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
HARR	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0
CIVIL ENFORCEMENT											
NOR	0	0	0	0	0	0	0	0	0	0	0
KING	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
LEFT	0	0	0	0	0	0	0	0	0	0	0
RIGHT	0	0	0	0	0	0	0	0	0	0	0
PITT	0	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0	0
HARR	0	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0
FINAL TOTAL	0	0	0	0	0	0	0	0	0	0	0

Figure 21

SRP230	COMMONWEALTH OF PENNSYLVANIA									
FACILITY STATUS	DEPARTMENT OF ENVIRONMENTAL RESOURCES									
	BUREAU OF WATER QUALITY MANAGEMENT									
	ENFORCEMENT STATUS TOTALS									
	VIOLATIONS OUTSTANDING AS OF 01/31/74									
PROGRAM- SEWAGE										
REG OFF	VIOLATIONS BY PRIORITY									
	I	II	III	IV	V	VI	NONE	VIOL	TOTAL	UNSAT
NDR	17	13	21	17	5	8	12	93	46	47
KING	17	0	0	0	0	0	0	0	0	0
HEAD	0	0	21	0	2	0	0	24	27	17
LEST	0	0	23	0	13	0	0	36	31	28
CHPT	1	1	10	10	13	7	11	60	13	47
PITT	3	0	33	7	2	4	3	52	18	34
HEAD	0	2	11	2	0	5	10	30	19	11
HAHA	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	38	16	123	63	39	38	62	359	141	218
PROGRAM- OTHER SEWAGE										
NDR	6	3	43	23	7	21	7	111	66	65
KING	43	1	2	4	10	7	31	98	67	31
HEAD	0	0	31	0	3	0	0	34	8	29
LEST	1	0	27	12	25	30	7	97	9	88
CHPT	0	0	17	12	10	17	7	63	10	53
PITT	4	3	31	10	11	14	7	80	40	40
HEAD	0	6	23	11	1	17	10	66	40	20
HAHA	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	54	11	167	73	67	106	74	552	226	326
PROGRAM- SING FAM SEWAGE										
NDR	0	0	0	3	0	0	1	0	4	3
KING	13	0	0	0	0	0	0	0	19	0
HEAD	0	0	0	0	0	0	0	0	0	0
LEST	0	0	0	0	0	0	0	0	0	0
CHPT	0	0	9	12	0	0	4	25	0	25
PITT	0	0	0	0	0	0	0	0	0	0
HEAD	0	0	0	0	0	0	0	0	0	0
HAHA	0	0	0	0	0	0	0	0	0	0
SUB TOTAL	13	0	9	21	0	1	4	48	20	28
FINAL TOTAL	379	81	759	395	202	364	417	2,597	987	1,610

Figure 21 (continued)

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT											PAGE 6 RUN DATE 03/18/74	
ORDERS OUTSTANDING AS OF 01/31/74												
PROGRAM- SEWAGE												
REG OFF	ORDERS BY PRIORITY											
	II	III	IV	V	VI	NONE	TOTAL ORDERS	TOTAL SAT	TOTAL UNSAT	TOTAL REVIEW		
NORR	64	15	42	91	7	67	302	163	115	24		
ALDG	39	0	4	2	0	3	23	70	41	29		
LENT	0	0	19	5	0	1	51	76	37	0		
AMPT	20	2	1	27	2	0	52	98	53	23		
PITT	1	0	91	3	0	2	54	106	63	30		
CAU	20	0	16	2	11	16	147	269	174	31		
HARR	0	0	0	0	1	1	27	67	46	20		
SUB TOTAL	147	18	219	123	21	90	370	988	578	285	125	
PROGRAM- OTHER SEWAGE												
NORR	1	0	2	12	8	75	48	147	71	53	23	
ALDG	0	0	0	0	4	0	7	18	13	2	1	
LENT	0	0	10	0	0	4	13	18	11	6	1	
AMPT	0	0	0	1	2	0	13	16	10	4	2	
PITT	0	0	0	0	0	0	3	9	2	2	1	
CAU	1	0	7	0	1	12	59	79	30	8	41	
HARR	0	0	2	0	0	0	7	2	4	1	0	
SUB TOTAL	9	0	22	15	15	91	138	290	141	79	70	
PROGRAM- SING FAM SEWAGE												
NORR	0	0	0	0	0	0	0	0	0	0	0	
ALDG	0	0	0	0	0	0	0	0	0	0	0	
LENT	0	0	0	0	0	0	0	0	0	0	0	
AMPT	0	0	0	0	0	0	0	0	0	0	0	
PITT	0	0	0	0	0	0	0	0	0	0	0	
CAU	0	0	0	0	0	0	0	0	0	0	0	
HARR	0	0	0	0	0	0	0	0	0	0	0	
SUB TOTAL	0	0	0	0	0	0	0	0	0	0	0	
FINAL TOTAL	218	36	324	233	70	271	846	1,998	970	568	460	

Figure 21 (continued)

SMP230 COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT PAGE 7 RUN DATE 03/18/74													
VIOLATION TOTALS BY REGION AS OF 01/31/74													
VIOLATIONS BY PRIORITY													
REG. OFF	I	II	III	IV	V	VI	NONE	VIOL	TOTAL	SAT	UNSAT	TOTAL	UNSAT
NOB	42	46	146	162	40	124	125	685	333			352	
KING	135	3	10	30	27	25	90	320	209			111	
HEAD	0	1	136	2	11	0	39	169	37			152	
LEAT	3	1	102	62	59	74	65	326	45			281	
PHY	9	11	96	99	45	70	29	359	66			293	
PIT	185	11	122	38	18	34	24	508	160			368	
HEAD	4	8	72	22	2	37	65	210	137			73	
PHY	0	0	0	0	0	0	0	0	0			0	
SUB TOTAL	379	81	759	395	202	364	417	2,597	987			1,610	
ORDER TOTALS BY REGION AS OF 01/31/74													
ORDERS BY PRIORITY													
REG. OFF	I	II	III	IV	V	VI	NONE	ORDERS	TOTAL	SAT	UNSAT	TOTAL	REVIEW
NOB	76	31	94	156	22	199	145	683	312			242	129
KING	59	0	39	12	19	8	36	128	93			33	2
HEAD	0	0	50	4	6	0	143	200	57			49	94
LEAT	3	1	50	51	6	0	65	129	66			32	31
PHY	21	2	4	51	0	2	95	175	95			47	33
PIT	32	2	153	6	21	55	238	565	273			133	159
HEAD	27	0	20	4	2	1	64	118	74			32	12
PHY	0	0	0	0	0	0	0	0	0			0	0
SUB TOTAL	218	36	324	233	70	271	846	1,998	970			568	460
FINAL TOTAL	597	117	1,083	628	272	635	1,263	4,595	1,957			2,178	460

Figure 21 (continued)

SAP230

DEPARTMENT OF ENVIRONMENTAL RESOURCES

BUREAU OF WATER QUALITY MANAGEMENT

COMMONWEALTH OF PENNSYLVANIA

VIOLATIONS BEING PROCESSED, BY OFFICE AS OF 01/31/76

PAGE 8

RUN DATE 03/18/76

VIOLATIONS BY PRIORITY

11

111

1111

11111

111111

1111111

11111111

111111111

1111111111

11111111111

111111111111

1111111111111

11111111111111

111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

1111111111111111

Reproduced from
best available copy.



Figure 21 (continued)

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT											
FACILITY STATUS											PAGE 9
ENFORCEMENT ACTION PERCENTAGES BY PROGRAM AS OF 01/31/74											RUN DATE 03/18/74
PROGRAM - WATER SUPPLY											
ESTABLISHMENTS											
NUMBER	IN COMP	IN VIOL	SAT	UNSAT	REVIEW	NUMBER	MIN	MAX	LEFT	EMPT	FINAL TOTAL
93	193	220	168	178	183	189	0	0	0	0	1,175
67	112	206	96	110	167	187	0	0	0	0	920
20	31	14	72	63	21	22	0	0	0	0	255
11	19	4	2	14	10	19	0	0	0	0	79
12	12	10	70	53	11	3	0	0	0	0	176
0	0	0	0	0	0	0	0	0	0	0	0
PERCENT											
IN COMP	72.6	78.3	93.6	57.1	61.5	88.4	0.0	0.0	0.0	0.0	78.3
IN VIOL	28.4	21.7	6.4	42.9	38.5	11.6	0.0	0.0	0.0	0.0	21.7
SAT	11.9	13.3	1.8	7.8	5.9	10.1	0.0	0.0	0.0	0.0	6.7
UNSAT	18.1	8.4	4.5	41.7	30.7	1.6	0.0	0.0	0.0	0.0	15.0
REVIEW	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CASES											
NUMBER	IN COMP	IN VIOL	SAT	UNSAT	REVIEW	NUMBER	MIN	MAX	LEFT	EMPT	FINAL TOTAL
109	193	223	168	179	194	192	0	0	0	0	1,208
82	112	209	96	110	171	170	0	0	0	0	951
26	31	14	32	69	23	22	0	0	0	0	257
11	19	4	2	14	11	19	0	0	0	0	80
15	12	10	70	55	12	3	0	0	0	0	177
0	0	0	0	0	0	0	0	0	0	0	0
PERCENT											
IN COMP	75.1	78.3	93.7	57.1	61.5	88.1	0.0	0.0	0.0	0.0	78.7
IN VIOL	23.9	21.7	6.3	42.9	38.5	11.9	0.0	0.0	0.0	0.0	21.3
SAT	10.1	13.3	1.8	7.8	5.7	9.9	0.0	0.0	0.0	0.0	6.5
UNSAT	18.0	8.4	4.5	41.7	30.7	1.6	0.0	0.0	0.0	0.0	14.7
REVIEW	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FACILITIES											
NUMBER	IN COMP	IN VIOL	SAT	UNSAT	REVIEW	NUMBER	MIN	MAX	LEFT	EMPT	FINAL TOTAL
1,208	1,238	2,115	1,682	1,328	1,444	1,294	0	0	0	0	10,599
1,164	1,291	2,101	1,593	1,445	1,421	1,269	0	0	0	0	10,284
42	37	14	89	83	23	25	0	0	0	0	315
20	22	4	4	16	11	22	0	0	0	0	103
20	15	10	85	67	12	3	0	0	0	0	212
0	0	0	0	0	0	0	0	0	0	0	0
PERCENT											
IN COMP	96.4	97.2	99.3	94.7	94.6	98.1	0.0	0.0	0.0	0.0	97.0
IN VIOL	3.6	2.8	0.7	5.3	5.4	1.9	0.0	0.0	0.0	0.0	3.0
SAT	2.0	1.7	0.2	1.0	0.8	1.7	0.0	0.0	0.0	0.0	1.0
UNSAT	1.7	1.1	0.5	5.1	4.4	0.2	0.0	0.0	0.0	0.0	2.0
REVIEW	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Figure 22

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL RESOURCES BUREAU OF WATER QUALITY MANAGEMENT ENFORCEMENTS IN USE OVER 1 YEAR									
FACILITY STATUS									
PAGE 2 RUN DATE 03/18/74									
02-127-5-04-01-12	NATRONA BOTTLING CO	NATRONA PLANT	QUINFALL #1 1" PIPE	3	0	3	0	3	03
VULNATION	PRIORITY: 000 3 000								
DATE NOTICE: 12/04/72	TYPE: 000/000	DVN LAW	BASIS STATUS: INSPECTION VIOL FACILITY DISCH PT	INSP/REPT	08/01/72				
PERMIT NO: 0000000	SEQUENCE #1: 01		VN/CPL STAT: RECT AGRD VN-CATEGORY: PERMIT	ACTION BY:	ATTY PITT				
STATUS:									
	09/27/72 REF ATTY FOR APP ACT 12/04/72 ORDER VIOL LTR/INSP	03/05/73 COMPL/RECT ACHIEVED	03/16/73 STIP AGREED TO						
	09/19/73 RETURNED TO BUREAU								
02-127-5-04-01-13	NATRONA BOTTLING CO	NATRONA PLANT	QUINFALL #3 3" PIPE	3	0	3	0	3	03
VULNATION	PRIORITY: 000 3 000								
DATE NOTICE: 12/04/72	TYPE: 000/000	DVN LAW	BASIS STATUS: INSPECTION VIOL FACILITY DISCH PT	INSP/REPT	08/01/72				
PERMIT NO: 0000000	SEQUENCE #1: 01		VN/CPL STAT: RECT AGRD VN-CATEGORY: PERMIT	ACTION BY:	ATTY PITT				
STATUS:									
	09/27/72 REF ATTY FOR APP ACT 12/04/72 ORDER VIOL LTR/INSP	03/05/73 COMPL/RECT ACHIEVED	03/16/73 STIP AGREED TO						
	09/19/73 RETURNED TO BUREAU								
02-133-5-02-01-11	PGM COAL CO	EST	RENTON MINE WASHERY	THICKENER	3	1	3	0	3 04
VULNATION	PRIORITY: 000 3 000								
DATE NOTICE: 10/16/72	TYPE: 000/000	DVN LAW	BASIS STATUS: DISCH SUBD VIOL FACILITY TRINT PL	INSP/REPT	08/18/72				
PERMIT NO: 0000000	SEQUENCE #1: 01		VN/CPL STAT: VN SAT FRG VN-CATEGORY: OPERATION	ACTION BY:	ATTY PITT				
STATUS:									
	12/16/72 ORDER VIOL LTR/INSP	12/05/72 REF ATTY FOR APP ACT 07/17/73 STIP AGREED TO	07/19/73 RETURNED TO BUREAU						
02-133-5-02-01-12	PGM COAL CO	EST	RENTON MINE WASHERY	REMAINING POND	3	1	3	1	3 04
VULNATION	PRIORITY: 000 3 000								
DATE NOTICE: 10/16/72	TYPE: 000/000	DVN LAW	BASIS STATUS: DISCH SUBD VIOL FACILITY TRINT PL	INSP/REPT	08/18/72				
PERMIT NO: 0000000	SEQUENCE #1: 01		VN/CPL STAT: VN SAT FRG VN-CATEGORY: OPERATION	ACTION BY:	ATTY PITT				
STATUS:									
	12/16/72 ORDER VIOL LTR/INSP	12/05/72 REF ATTY FOR APP ACT 07/17/73 STIP AGREED TO	07/19/73 RETURNED TO BUREAU						
02-133-7-01-02-100	PLUM BORDUCH	REGENCY PARK STP	TRICKLING FILTER	3	1	3	3	1	04
VULNATION	PRIORITY: 000 000								
DATE NOTICE: 06/21/71	TYPE: 000/000	B EFFLUENT	BASIS STATUS: NO SCOPES ISS. AGENCY: SMD						
PERMIT NO: 0009270	SEQUENCE #1: 01		VN/CPL STAT: VN SAT FRG	ACTION BY:	ATTY PITT				
STATUS:									
	12/07/72 REF ATTY FOR APP ACT								
02-133-7-01-02-100	PLUM BORDUCH	HOLIDAY PARK STP	EXTENDED AERATION	3	3	3	0	1	05
VULNATION	PRIORITY: 000 1 000								
DATE NOTICE: 06/21/71	TYPE: 000/000	B EFFLUENT	BASIS STATUS: DISCH SUBD ISS. AGENCY: SMD						
PERMIT NO: 0005655	SEQUENCE #1: 01		VN/CPL STAT: VN SAT FRG	ACTION BY:	ATTY PITT				
STATUS:									
	12/07/72 REF ATTY FOR APP ACT	02/26/73 SCOPES SUBMITTED	11/26/73 RETURNED TO BUREAU						
02-133-7-01-04-100	PLUM BORDUCH	CARLOW HEIGHTS STP	TRICKLING FILTER	3	1	3	3	1	04
VULNATION	PRIORITY: 000 000								
DATE NOTICE: 06/21/71	TYPE: 000/000	B EFFLUENT	BASIS STATUS: NO SCOPES ISS. AGENCY: SMD						
PERMIT NO: 0082295	SEQUENCE #1: 01		VN/CPL STAT: VN SAT FRG	ACTION BY:	ATTY PITT				
STATUS:									
	12/07/72 REF ATTY FOR APP ACT								

[illegible]

Figure 24

COMMONWEALTH OF PENNSYLVANIA			DEPARTMENT OF ENVIRONMENTAL RESOURCES		RUN DATE 08/10/79	
STOREY ERROR LISTING			REASON REJECTED		PAGE 3	
ACCORD ON FILE						
AC000C000111111 1112222222223 33 3			CC17-22	MUST BE NUMERIC		
123-567890123456 789012345678901 23 4			CC23	MUST BE NUMERIC		
AC06290720101201			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101202			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101203			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101204			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101601			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101601			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		
AC06290720101701			CC17-22	MUST BE NUMERIC		
			CC23	MUST BE NUMERIC		
			CC24	MUST BE 400		
			CC25-30	MUST BE NUMERIC		
			CC31	MUST BE NUMERIC		
			CC32-33	MUST BE 400		
			CC34	MUST BE 1 OR 3		

Reproduced from
best available copy.

Figure 24 (continued)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

DEPARTMENT OF ENVIRONMENTAL RESOURCES

REC'D DATE 09/10/73

PAGE 4

STREET EARTH LISTING

8714 NO COVER
RECORD ON FILE

[illegible]

ADP629972013:702

CC#	REASON	REJECTED	DATE	BY	OR	Y
CC#1	MUST BE SUPPLC					
CC#2	MUST BE SUPPLC					
CC#3	MUST BE SUPPLC					
CC#4	MUST BE SUPPLC					
CC#5	MUST BE SUPPLC					
CC#6	MUST BE SUPPLC					
CC#7	MUST BE SUPPLC					
CC#8	MUST BE SUPPLC					
CC#9	MUST BE SUPPLC					
CC#10	MUST BE SUPPLC					
CC#11	MUST BE SUPPLC					
CC#12	MUST BE SUPPLC					
CC#13	MUST BE SUPPLC					
CC#14	MUST BE SUPPLC					
CC#15	MUST BE SUPPLC					
CC#16	MUST BE SUPPLC					
CC#17	MUST BE SUPPLC					
CC#18	MUST BE SUPPLC					
CC#19	MUST BE SUPPLC					
CC#20	MUST BE SUPPLC					
CC#21	MUST BE SUPPLC					
CC#22	MUST BE SUPPLC					
CC#23	MUST BE SUPPLC					
CC#24	MUST BE SUPPLC					
CC#25	MUST BE SUPPLC					
CC#26	MUST BE SUPPLC					
CC#27	MUST BE SUPPLC					
CC#28	MUST BE SUPPLC					
CC#29	MUST BE SUPPLC					
CC#30	MUST BE SUPPLC					
CC#31	MUST BE SUPPLC					
CC#32	MUST BE SUPPLC					
CC#33	MUST BE SUPPLC					
CC#34	MUST BE SUPPLC					
CC#35	MUST BE SUPPLC					
CC#36	MUST BE SUPPLC					
CC#37	MUST BE SUPPLC					
CC#38	MUST BE SUPPLC					
CC#39	MUST BE SUPPLC					
CC#40	MUST BE SUPPLC					
CC#41	MUST BE SUPPLC					
CC#42	MUST BE SUPPLC					
CC#43	MUST BE SUPPLC					
CC#44	MUST BE SUPPLC					
CC#45	MUST BE SUPPLC					
CC#46	MUST BE SUPPLC					
CC#47	MUST BE SUPPLC					
CC#48	MUST BE SUPPLC					
CC#49	MUST BE SUPPLC					
CC#50	MUST BE SUPPLC					
CC#51	MUST BE SUPPLC					
CC#52	MUST BE SUPPLC					
CC#53	MUST BE SUPPLC					
CC#54	MUST BE SUPPLC					
CC#55	MUST BE SUPPLC					
CC#56	MUST BE SUPPLC					
CC#57	MUST BE SUPPLC					
CC#58	MUST BE SUPPLC					
CC#59	MUST BE SUPPLC					
CC#60	MUST BE SUPPLC					
CC#61	MUST BE SUPPLC					
CC#62	MUST BE SUPPLC					
CC#63	MUST BE SUPPLC					
CC#64	MUST BE SUPPLC					
CC#65	MUST BE SUPPLC					
CC#66	MUST BE SUPPLC					
CC#67	MUST BE SUPPLC					
CC#68	MUST BE SUPPLC					
CC#69	MUST BE SUPPLC					
CC#70	MUST BE SUPPLC					
CC#71	MUST BE SUPPLC					
CC#72	MUST BE SUPPLC					
CC#73	MUST BE SUPPLC					
CC#74	MUST BE SUPPLC					
CC#75	MUST BE SUPPLC					
CC#76	MUST BE SUPPLC					

59442

COMMONWEALTH OF PENNSYLVANIA									
DEPARTMENT OF ENVIRONMENTAL RESOURCES									
STONEY BROOK LISTING CONTROL TOTALS									
INPUT		ERRORS		OUTPUT		PAGE 7			
ADDITIONS: RAP		ADDITIONS: RAP		ADDITIONS: RAP					
RAP		RAP		RAP					
AIR		AIR		AIR					
OTH		OTH		OTH					
SUB TOTAL	15	SUB TOTAL	15	SUB TOTAL					
DELETIONS: RAP		DELETIONS: RAP		DELETIONS: RAP					
TOTAL INPUT	15	TOTAL ERRORS	15	TOTAL OUTPUT					
						OUTPUT ADD SETS			

Figure 25 (continued)

COMMONWEALTH OF PENNSYLVANIA									
DEPARTMENT OF ENVIRONMENTAL RESOURCES									
FACILITY STATUS UPDATE MASTER ACTIVITY LIST									
MESSAGE:									
0000000011111111222222223333333344444444555555556666667777777788									
123456789012345678901234567890123456789012345678901234567890									
INPUT									
ERRORS									
OUTP-T									
ADDITIONS									
ADDITIONS EST	0	ADDITIONS EST	0	ADDITIONS EST	0	ADDITIONS EST	0	ADDITIONS EST	0
CASE	0	CASE	0	CASE	0	CASE	0	CASE	0
PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0
DELET	0	DELET	0	DELET	0	DELET	0	DELET	0
VIOL	0	VIOL	0	VIOL	0	VIOL	0	VIOL	0
SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0
CHANGES									
CHANGES EST	0	CHANGES EST	0	CHANGES EST	0	CHANGES EST	0	CHANGES EST	0
CASE	0	CASE	0	CASE	0	CASE	0	CASE	0
PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0
DELET	0	DELET	0	DELET	0	DELET	0	DELET	0
VIOL	0	VIOL	0	VIOL	0	VIOL	0	VIOL	0
SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0
DELETIONS									
DELETIONS EST	0	DELETIONS EST	0	DELETIONS EST	0	DELETIONS EST	0	DELETIONS EST	0
CASE	0	CASE	0	CASE	0	CASE	0	CASE	0
PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0	PAC SET	0
DELET	0	DELET	0	DELET	0	DELET	0	DELET	0
VIOL	0	VIOL	0	VIOL	0	VIOL	0	VIOL	0
SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0	SUB TOTAL	0
TOTAL INPUT	472	TOTAL ERRORS	27	DEL GENERATED	12	SUB TOTAL	20	TOTAL TRIPS OUTPUT	15
PAC STD	0	PAC STD	0	PAC STD	0	PAC STD	0	PAC STD	0
CR ADDS PROCESSED	0	CR ADDS PROCESSED	0	CR ADDS PROCESSED	0	CR ADDS PROCESSED	0	CR ADDS PROCESSED	0
CR DEL PROCESSED	0	CR DEL PROCESSED	0	CR DEL PROCESSED	0	CR DEL PROCESSED	0	CR DEL PROCESSED	0
TOTAL TRANS INPUT	0	TOTAL TRANS INPUT	0	TOTAL TRANS INPUT	0	TOTAL TRANS INPUT	0	TOTAL TRANS INPUT	0

0387 00100120

(472-27) - (27-2) + 12 = 433
433 - 25 + 12 = 420



other hand, the Cross-Reference Update (Figure 26) reports additions to the cross-reference file of latitude-longitude coordinate data.

Uses

The Facility Status Module and its Enforcement Sub-System easily are the most extensively used portion of WAMIS. The Facility File Listing and Identification Report are widely referred to by all segments of the Bureau of Water Quality Management. In headquarters these reports and the enforcement reports are used as a quick reference for a record of facility characteristics and status of compliance.

These reports are used even more extensively in the field. Inspectors routinely refer to the Identification Report prior to and during their visits to inspected facilities. It is claimed by the inspectors that the report is highly beneficial in refreshing their memories in follow-up inspections, routine inspections, and in preparing their input reports.

Field Compliance and Administration Chiefs claim that the enforcement reports greatly aid in keeping abreast of burgeoning information. Combined with regional files and hand-written notes on computer output, the reports make tracking and follow-up of orders and violations a much easier job.

Much of the other output, while serving a useful purpose, is confined to special or specific one-time interrogations or broad summaries.

In summary, the Facility Status Module output serves a highly useful purpose and aids in job accomplishment.

WATER QUALITY MODULE

General Description

The Water Quality Module maintains an information file on the chemical, biological, and physical characteristics (as determined by laboratory analyses) of all samples taken from the waters of the Commonwealth, including wastewater. The system accommodates inputs from a variety of sampling agencies. Further development of this module will include comparisons to established water quality standards and permit conditions to permit inspection and enforcement where deviations from standard are discovered.

It should be noted that the Water Quality Module has been completed only recently having undergone a number of major revisions. The Bureau of Water Quality Management has chosen to rely on the retrieval capabilities of the STORET System. The water quality data are being transferred to STORET and the system is scheduled to be operational by May 15, 1974.

Figure 26

COMMONWEALTH OF PENNSYLVANIA									
DEPARTMENT OF ENVIRONMENTAL RESOURCES									
CROSS REFERENCE UPDATE									
07/13/79									
PAGE 5									
R4589102	0201010	41661400755420	00	1	CRILE	R4589102	AD8D	AD8D	
R4589103	0201011	41661400755420	00	1	CRILE	R4589103	AD8D	AD8D	
R4589104	0201012	41661400755420	00	1	CRILE	R4589104	AD8D	AD8D	
R4589105	0201013	41661400755420	00	1	CRILE	R4589105	AD8D	AD8D	
R4589106	0201014	41661400755420	00	1	CRILE	R4589106	AD8D	AD8D	
R4589107	0201015	41661400755420	00	1	CRILE	R4589107	AD8D	AD8D	
R4589108	0201016	41661400755420	00	1	CRILE	R4589108	AD8D	AD8D	
R4589109	0201017	41661400755420	00	1	CRILE	R4589109	AD8D	AD8D	
R4589110	0201018	41661400755420	00	1	CRILE	R4589110	AD8D	AD8D	
R4589111	0201019	41661400755420	00	1	CRILE	R4589111	AD8D	AD8D	
R4589112	0201020	41661400755420	00	1	CRILE	R4589112	AD8D	AD8D	
R4589113	0201021	41661400755420	00	1	CRILE	R4589113	AD8D	AD8D	
R4589114	0201022	41661400755420	00	1	CRILE	R4589114	AD8D	AD8D	
R4589115	0201023	41661400755420	00	1	CRILE	R4589115	AD8D	AD8D	
R4589116	0201024	41661400755420	00	1	CRILE	R4589116	AD8D	AD8D	
R4589117	0201025	41661400755420	00	1	CRILE	R4589117	AD8D	AD8D	
R4589118	0201026	41661400755420	00	1	CRILE	R4589118	AD8D	AD8D	
R4589119	0201027	41661400755420	00	1	CRILE	R4589119	AD8D	AD8D	
R4589120	0201028	41661400755420	00	1	CRILE	R4589120	AD8D	AD8D	
R4589121	0201029	41661400755420	00	1	CRILE	R4589121	AD8D	AD8D	
R4589122	0201030	41661400755420	00	1	CRILE	R4589122	AD8D	AD8D	
R4589123	0201031	41661400755420	00	1	CRILE	R4589123	AD8D	AD8D	
R4589124	0201032	41661400755420	00	1	CRILE	R4589124	AD8D	AD8D	
R4589125	0201033	41661400755420	00	1	CRILE	R4589125	AD8D	AD8D	
R4589126	0201034	41661400755420	00	1	CRILE	R4589126	AD8D	AD8D	
R4589127	0201035	41661400755420	00	1	CRILE	R4589127	AD8D	AD8D	
R4589128	0201036	41661400755420	00	1	CRILE	R4589128	AD8D	AD8D	
R4589129	0201037	41661400755420	00	1	CRILE	R4589129	AD8D	AD8D	
R4589130	0201038	41661400755420	00	1	CRILE	R4589130	AD8D	AD8D	
R4589131	0201039	41661400755420	00	1	CRILE	R4589131	AD8D	AD8D	
R4589132	0201040	41661400755420	00	1	CRILE	R4589132	AD8D	AD8D	
R4589133	0201041	41661400755420	00	1	CRILE	R4589133	AD8D	AD8D	
R4589134	0201042	41661400755420	00	1	CRILE	R4589134	AD8D	AD8D	
R4589135	0201043	41661400755420	00	1	CRILE	R4589135	AD8D	AD8D	
R4589136	0201044	41661400755420	00	1	CRILE	R4589136	AD8D	AD8D	
R4589137	0201045	41661400755420	00	1	CRILE	R4589137	AD8D	AD8D	
R4589138	0201046	41661400755420	00	1	CRILE	R4589138	AD8D	AD8D	
R4589139	0201047	41661400755420	00	1	CRILE	R4589139	AD8D	AD8D	
R4589140	0201048	41661400755420	00	1	CRILE	R4589140	AD8D	AD8D	
R4589141	0201049	41661400755420	00	1	CRILE	R4589141	AD8D	AD8D	
R4589142	0201050	41661400755420	00	1	CRILE	R4589142	AD8D	AD8D	
R4589143	0201051	41661400755420	00	1	CRILE	R4589143	AD8D	AD8D	
R4589144	0201052	41661400755420	00	1	CRILE	R4589144	AD8D	AD8D	
R4589145	0201053	41661400755420	00	1	CRILE	R4589145	AD8D	AD8D	
R4589146	0201054	41661400755420	00	1	CRILE	R4589146	AD8D	AD8D	
R4589147	0201055	41661400755420	00	1	CRILE	R4589147	AD8D	AD8D	
R4589148	0201056	41661400755420	00	1	CRILE	R4589148	AD8D	AD8D	
R4589149	0201057	41661400755420	00	1	CRILE	R4589149	AD8D	AD8D	
R4589150	0201058	41661400755420	00	1	CRILE	R4589150	AD8D	AD8D	
R4589151	0201059	41661400755420	00	1	CRILE	R4589151	AD8D	AD8D	
R4589152	0201060	41661400755420	00	1	CRILE	R4589152	AD8D	AD8D	
R4589153	0201061	41661400755420	00	1	CRILE	R4589153	AD8D	AD8D	
R4589154	0201062	41661400755420	00	1	CRILE	R4589154	AD8D	AD8D	
R4589155	0201063	41661400755420	00	1	CRILE	R4589155	AD8D	AD8D	
R4589156	0201064	41661400755420	00	1	CRILE	R4589156	AD8D	AD8D	
R4589157	0201065	41661400755420	00	1	CRILE	R4589157	AD8D	AD8D	
R4589158	0201066	41661400755420	00	1	CRILE	R4589158	AD8D	AD8D	
R4589159	0201067	41661400755420	00	1	CRILE	R4589159	AD8D	AD8D	
R4589160	0201068	41661400755420	00	1	CRILE	R4589160	AD8D	AD8D	
R4589161	0201069	41661400755420	00	1	CRILE	R4589161	AD8D	AD8D	
R4589162	0201070	41661400755420	00	1	CRILE	R4589162	AD8D	AD8D	
R4589163	0201071	41661400755420	00	1	CRILE	R4589163	AD8D	AD8D	
R4589164	0201072	41661400755420	00	1	CRILE	R4589164	AD8D	AD8D	
R4589165	0201073	41661400755420	00	1	CRILE	R4589165	AD8D	AD8D	
R4589166	0201074	41661400755420	00	1	CRILE	R4589166	AD8D	AD8D	
R4589167	0201075	41661400755420	00	1	CRILE	R4589167	AD8D	AD8D	
R4589168	0201076	41661400755420	00	1	CRILE	R4589168	AD8D	AD8D	
R4589169	0201077	41661400755420	00	1	CRILE	R4589169	AD8D	AD8D	
R4589170	0201078	41661400755420	00	1	CRILE	R4589170	AD8D	AD8D	
R4589171	0201079	41661400755420	00	1	CRILE	R4589171	AD8D	AD8D	
R4589172	0201080	41661400755420	00	1	CRILE	R4589172	AD8D	AD8D	
R4589173	0201081	41661400755420	00	1	CRILE	R4589173	AD8D	AD8D	
R4589174	0201082	41661400755420	00	1	CRILE	R4589174	AD8D	AD8D	
R4589175	0201083	41661400755420	00	1	CRILE	R4589175	AD8D	AD8D	
R4589176	0201084	41661400755420	00	1	CRILE	R4589176	AD8D	AD8D	
R4589177	0201085	41661400755420	00	1	CRILE	R4589177	AD8D	AD8D	
R4589178	0201086	41661400755420	00	1	CRILE	R4589178	AD8D	AD8D	
R4589179	0201087	41661400755420	00	1	CRILE	R4589179	AD8D	AD8D	
R4589180	0201088	41661400755420	00	1	CRILE	R4589180	AD8D	AD8D	
R4589181	0201089	41661400755420	00	1	CRILE	R4589181	AD8D	AD8D	
R4589182	0201090	41661400755420	00	1	CRILE	R4589182	AD8D	AD8D	
R4589183	0201091	41661400755420	00	1	CRILE	R4589183	AD8D	AD8D	
R4589184	0201092	41661400755420	00	1	CRILE	R4589184	AD8D	AD8D	
R4589185	0201093	41661400755420	00	1	CRILE	R4589185	AD8D	AD8D	
R4589186	0201094	41661400755420	00	1	CRILE	R4589186	AD8D	AD8D	
R4589187	0201095	41661400755420	00	1	CRILE	R4589187	AD8D	AD8D	
R4589188	0201096	41661400755420	00	1	CRILE	R4589188	AD8D	AD8D	
R4589189	0201097	41661400755420	00	1	CRILE	R4589189	AD8D	AD8D	
R4589190	0201098	41661400755420	00	1	CRILE	R4589190	AD8D	AD8D	
R4589191	0201099	41661400755420	00	1	CRILE	R4589191	AD8D	AD8D	
R4589192	0201100	41661400755420	00	1	CRILE	R4589192	AD8D	AD8D	
R4589193	0201101	41661400755420	00	1	CRILE	R4589193	AD8D	AD8D	
R4589194	0201102	41661400755420	00	1	CRILE	R4589194	AD8D	AD8D	
R4589195	0201103	41661400755420	00	1	CRILE	R4589195	AD8D	AD8D	
R4589196	0201104	41661400755420	00	1	CRILE	R4589196	AD8D	AD8D	
R4589197	0201105	41661400755420	00	1	CRILE	R4589197	AD8D	AD8D	
R4589198	0201106	41661400755420	00	1	CRILE	R4589198	AD8D	AD8D	
R4589199	0201107	41661400755420	00	1	CRILE	R4589199	AD8D	AD8D	
R4589200	0201108	41661400755420	00	1	CRILE	R4589200	AD8D	AD8D	

PHOTOGRAPH BY J. J. JONES



COMMONWEALTH OF PENNSYLVANIA		DEPARTMENT OF ENVIRONMENTAL RESOURCES		07/19/77	
CPU#10		CROSS REFERENCE UPDATE		PAGE 4	
RAD5001010101	4149310771712	00 1	CABLE RECORD ADDED		
RAD5001010102	4149310771721	00 1	CABLE RECORD ADDED		
RAD5001010103	4149310771724	00 1	CABLE RECORD ADDED		
RAD5001010104	4149310771727	00 1	CABLE RECORD ADDED		

Figure 26 (continued)

COUNTY OF PENNSYLVANIA			
DEPARTMENT OF ENVIRONMENTAL RESOURCES			
07/19/79			
PAGE 7			
GROSS REFERENCE UPDATE			
LATITUDE-LONGITUDE IDENTIFICATION CODE			
RIVER-ICE INDEX			
PREVIOUS TOTAL	2604	21010	20943
ADDED		239	239
DELETED			
CURRENT TOTAL	2604	21249	21182
TOTAL INPUT	254		
STREAM SAMPLES			
TOTAL ERRORS	12		
CYLINDERS-PAVED	100		
CYLINDERS-USED	64		
CYLINDERS-REVI	90		

Input

1. Water or Waste Quality Report -- This report comprises virtually all of the input to the Water Quality Module. All samples taken by various agencies within the state are accompanied by the form. As indicated earlier, each facility inspection usually includes at least one sample. Additionally, stream samples are taken at various locations throughout the state. Since the number of samples, as well as the parameters, measured results in a voluminous file, automated storage and retrieval of this information is essential.

Table 7 indicates the input information which comprises the Water or Waste Quality Report. Figure 27 shows a sample form.

Only selected analyses are run for each sample. Coded instructions permit the inspector to identify sampling location and conditions in sufficient detail so that a standard set of analyses is run for particular samples. For example, in the case of a new water supply, the following parameters would be run:

- color
- odor
- pH
- manganese
- iron
- sulfates
- turbidity
- alkalinity
- ammonia
- nitrite
- nitrate
- chloride
- fluoride
- hardness
- total solids
- orthophosphate

The manner in which the report is handled during a facility inspection has been explained previously. All samples collected by Bureau personnel are analyzed by Bureau laboratories. Interpretation of the results of all analyses are made principally by field or regional office staff.

2. Special Analyses Report -- On occasions where non-routine samples are taken or special conditions are observed by an inspector or sample collector, special analyses may be requested by the field. These special analyses results are entered on a special report form (Figure 28) which is attached to the Water or Waste Quality Report.

Table 7. WATER OR WASTE QUALITY REPORT INPUT INFORMATION

A. General Information

Type of sample (e.g., facility, network or random stream)

Date received

Establishment

Case

Facility

Collector identification number

County

Municipality

Program (e.g., water supply, bathing places, industrial waste, sewage)

Collector name

Type of treatment (e.g., for sewage - primary, secondary, tertiary, etc.)

Standard analysis group code

Identification code

Latitude

Longitude

Date and time of sample

Kind of sample (e.g., background, effluent, product, influent, storage, mixing zone)

USGS topographic map number

Sampling agency

(continued)

Table 7 (continued).

Sample number
Stream name
Relative point where sample taken
Source
Stream tributaries

B. Field Analyses

Sample type
Sample source
Reason sampled
Composite sample description
Flow measurements
Analyses (selected parameters)

C. Laboratory Analyses

Name of chemist
Date analyzed
Analyses (selected parameters)

89 BWO-13
REV 12 73W
1FACTORY SAMPLE
STREAM / RANDOM SAMPLE
NETWORK SAMPLE
2COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
BUREAU OF WATER QUALITY MANAGEMENT
WATER OR WASTE QUALITY REPORT
ALL CHEMICAL ANALYSES EXPRESSED IN
MG/L UNLESS OTHERWISE SPECIFIED

Lab Number

Date Received

Figure 27

ESTABLISHMENT		CASE		FACILITY		COLL NUMBER							
COUNTY	MUNICIPALITY	PROGRAM	COLL NAME	TYPE TR	SID ANALYSIS								
CARD (3)		ID CODE (ALL CARDS) 4-10		LATITUDE 4-10		LONGITUDE 11-18		DATE 19-24	TIME 25-28	SIND 29			
1	2	City	Mun	Est	Case	Fee		M	D	Y	Mr	Min	SIND 29
UNGS-0 36-34		AGENCY 35-37		SAMPLE NUMBER 38-43		STREAM NAME 44-57		RELATIVE POINT 58					
IN CLASS		TRIBUTARY TO		FULL DESCRIPTION WHERE SAMPLE TAKEN									

FIELD ANALYSES				LAB ANALYSES			
Type Sample	39-40			Chemist	Date Analyzed		
Source of Sample	61-62			Color	(00080)	Total Solids (00500)	
Reason Sampled	63-64			Turb	(00070)	Susp Solids (00530)	
Compos'n	Proportional Uniform	65	CARD (2)	pH	(00403)	Set Solids (00345)	
Sample	Temporal	66		Alk	(00410)	Total Diss Solids (00315)	
	Special	66	pH ₂	(00436)	NO ₂ -N (00615)		
Aliquots	67-68			pH ₃	(00437)	NO ₃ -N (00620)	
Flow	Estimated	69	SO ₄	(00945)	NH ₃ -N (00610)		
Condition	Along 1	60	T.O.C.	(00680)	Fet -N (00625)		
	Below 2		Normal 2	C.O.D.	(00340)	Hardness (00900)	
Stream Flow CFS	(00841)		Spec Cond	(00095)	Cl (00940)		
Stream Flow MGD	(00091)		P	(00045)	MBAS (00360)		
Pipe Flow MGD	(00056)		F	(00091)	Phenols ug/l (40002)		
Gage Reading Ft.	(00045)		5 Day BOD	(00310)	Ors (00330)		
Temp (C)	(00010)		Fe Tot ug/l (01045)		Cyanide (00730)		
pH	(00400)		Fe ** ug/l (01047)				
D.O.	(00300)		Mn Tot ug/l (01055)				
Cl (50060)			Cr Tot ug/l (01034)				
Br (71871)			Cu Tot ug/l (01043)				
I (71866)			Ni Tot ug/l (01067)				
Spot Cond	(00094)		Zn Tot ug/l (01092)				
Appearance	(06001)				ADDITIONAL LAB ANALYSES		
Odor	(01330)						
ADDITIONAL FIELD ANALYSES							

CENTRAL OFFICE

- 0 - No Treatment
- 2 - Neutralization,
Oxidation &
Sedimentation
- 3 - Oxidation &
Sedimentation
- 4 - Pretreatment pl.
Filtration
- 5 - Ion Exchange
- 9 - Other

BATHING PLACES

- 0 - No Treatment
- 1 - Disinfection
- 2 - Iron and/or Manganese removal + disinfection
- 3 - pH and/or alkalinity control + disinfection
- 4 - Softening
- 5 - Filtration
- 6 - Chelation
- 7 - Filtration + disinfection
- 8 - Filtration + disinfection
- 9 - Iron removal or softening, with disinfection

- 0 - No Treatment
1 - Disinfection
5 - Filtration
7 - Filtration & Disinfection
9 - Other

System
ization Basins
ry

- 0 - No Treatment
2 - Primary
3 - Intermediate
4 - Secondary

- 5 - Closed System
6 - Stabilization Basins
7 - Tertiary
9 - Other

- 4 - Intake water
- 5 - Intra-facility storage
- 6 - Mixing zone below discharge
- 7 - Intra-facility - production

- 1 - Background
2 - Effluent
3 - Product
(finished)

- 4 - Intake water
- 5 - Intra-facility storage
- 6 - Mixing zone below discharge
- 7 - Intra-facility - production

Depth	Left Shore	Center Stream	Right Shore
Surface	1	2	3
Center	4	5	6
Bottom	7	8	9

01 - Whole Water	06 - Biological Items
02 - Standard for Comparison	07 - Floating Solids
03 - Liquid Filtrate*	08 - Floating Liquids -
04 - Suspended Materials	Oils
05 - Bottom Deposits	09 - Pesticides

* - From Field Filtered Sample

- | | |
|------------------------------|-------------------------|
| 01 - Whole Water | 06 - Biological Items |
| 02 - Standard for Comparison | 07 - Floating Solids |
| 03 - Liquid Filtrate* | 08 - Floating Liquids - |
| 04 - Suspended Materials | Oils |
| 05 - Bottom Deposits | 09 - Pesticides |
- * - From Field Filtered Sample

01 - Stream	08 - Impoundment or Reservoir
02 - Lake	09 - For Future Use
03 - Estuary	10 - Mine
04 - Ocean*	11 - Treated Effluent or Water
05 - Well	12 - Direct, Untreated, Discharge
06 - Spring	13 - In-plant Process
07 - Ground Water	
* Monitoring Point	

- | | |
|--------------------|-----------------------------------|
| 01 - Stream | 08 - Impoundment or Reservoir |
| 02 - Lake | 09 - For Future Use |
| 03 - Estuary | 10 - Mine |
| 04 - Ocean* | 11 - Treated Effluent or Water |
| 05 - Well | 12 - Direct, Untreated, Discharge |
| 06 - Spring | 13 - In-plant Process |
| 07 - Ground Water | |
| * Monitoring Point | |

01 - Routine Inspection	06 - Stream Survey
02 - Application Inspection	07 - Water Quality Network
03 - Fish Kill	08 - Water Fowl Affected
04 - Pollution Complaint or Incident	09 - Unusual Condition
05 - Plant Survey	10 - Compliance Follow-up

- | | |
|--------------------------------------|----------------------------|
| 01 - Routine Inspection | 06 - Stream Survey |
| 02 - Application Inspection | 07 - Water Quality Network |
| 03 - Fish Kill | 08 - Water Fowl Affected |
| 04 - Pollution Complaint or Incident | 09 - Unusual Condition |
| 05 - Plant Survey | 10 - Compliance Follow-up |

INTENSITY CODE

- | | |
|------------|------------------------------|
| 01 - Clear | 09 - Rust |
| 02 - Gray | 10 - Straw |
| 03 - Milky | 11 - Yellow |
| 04 - Brown | 12 - Cloudy |
| 05 - Black | 13 - Clear with
Particles |
| 06 - Blue | 14 - Tan |
| 07 - Green | 15 - Muddy |
| 08 - Red | |

- 1 - Slightly
2 - Moderately
3 - Very
4 - Extremely

Relative Intensity
0 - None
1 - Mild
2 - Moderate
3 - Serious
4 - Extreme

- Relative Intensity
0 - None
1 - Mild
2 - Moderate
3 - Serious
4 - Extreme

[illegible]

• Required Filing

Fig. 44 - 5 ml. Conc. HCl. No. 410

Phenol- 3 ml 10% CuSO₄/French 30

CV = NaOH to pH 11
Heavy Metal = 2 ml 6

1 04 - 3 half gal., 1 find heavy muske

1. The first group of people who are interested in the study of the history of the United States are the people who are interested in the history of the United States.

Output

Output from the Water Quality Module basically is input from the Water or Waste Quality Report transferred into the STORET system. Experience has shown that output is as accessible as that emanating from other modules. Figure 29 illustrates the current data flow for the Water Quality Module.

Samples are sent to the Bureau laboratories for analysis. Results of the analyses are then passed to the WAMIS section for processing, i.e., keypunching. All data and information processing is monitored by WAMIS operations. Subsequent to keypunching, the Water Quality Module converts, via appropriate programs, the data to magnetic tape in a format suitable for acceptance by the STORET system. The module also, through validation routines, issues error reports which are processed through WAMIS operations for correction. Back-up user reports are produced by the module, and basically are reports of sample analyses. The back-up reports enable regional personnel to identify instances of violation or non-compliance. Subsequent actions that could be taken by regional offices have been described previously.

Output from the STORET system is available through terminals at each regional office and at Bureau headquarters. All retrieval capabilities of STORET, within the constraints of Bureau input, are available to the users at the various terminals.

Uses

Because of the recent completion of this module, its usefulness has not been fully evaluated. A massive effort has been made to convert existing water quality sample files to a format suitable for input into STORET. It is expected that once a substantial data base is included in this module and its STORET interface, and when field personnel become more familiar with the output uses, the Water Quality Module should enjoy extensive use in much the same manner as the Facility Status Module.

CONTACT MODULE

General Description

The Contact System is organized into two autonomous systems: 1) a list of addresses of individuals, corporations, government agencies, and independent organizations which operate water processing facilities or are involved in water quality management; and 2) descriptive data on operator certification.

The various input and output forms and reports which comprise the Contact Module are listed in Table 8.

Figure 29. WATER QUALITY MODULE DATA FLOW




Table 8. CONTACT MODULE INPUT AND OUTPUT FORMS AND REPORTS

Input

Application for Certificate to Operate Sewage
Treatment Plants and Waterworks

Contact Subsystem Non-Certification Input

Output

Certified Operator Listing

Name and Address Listing

Activity Listing

Date Expiration Listing

Initial Error Listing

Input

1. Application for Certificate to Operate Sewage Treatment Plants and Waterworks -- Applicants for certification are obliged to fill out a detailed application which is submitted to the Bureau of Water Quality Management headquarters. Information required on these applications is shown in Table 9, with an example application shown in Figure 30. Certification is handled entirely through the headquarters Division of Water Supply and Sewerage. After processing the application, Division staff codes appropriate information for input into WAMIS. Most of the application information is coded with the exception of employment record. The module creates a permanent data file, but performs no decision-making function. Evaluations are made by Division of Water Supply and Sewerage staff.

2. Contact Subsystem Non-Certification Input -- From time to time the Bureau has a need to contact a broad variety of installations, groups, and individuals working in or with an interest in the field of water quality management. Included in these categories may be operators, consulting engineers, sewage treatment plants, waterworks companies, special commissions, boards, and public interest groups and associations. In order to categorize these groupings, the Chief of the WAMIS section has assigned a system identifier number. The system code identifier is for gross listing of various categories, while the system level number identifies divisions thereof.

A single form (Figure 31) is used to input information to the system, and action to include, change, or delete may come from many sources both within and outside of the Bureau. Information included in the input form is as follows:

- basic identification
- last name and initials
- social security number
- birthdate
- address
- telephone numbers (home and business)

Output

1. Certified Operator Listing -- In the course of certifying operators, the Division of Water Supply and Sewerage assigns system code and identification numbers for each operator. Likewise, certificate and operator numbers are assigned. The Certified Operator Listing prints out all the information included in Table 9 according to these assigned numbers, thus providing the Division with a complete and up-to-date list of certified operators. Figure 32 is a sample output of the Certified Operator Listing.

Table 9. CERTIFICATION APPLICATION INFORMATION

Identification

name
address
county
social security number
birthdate
testing location
telephones (home and business)

Number of years experience

Level of education

For special certificates:

job title
plant classification
plant name and address
supervisor's name and job title
current employer

For regular certificates:

professional engineer's registration
number
examined in civil or sanitary
previous certification
(by type and state)
certificate classification code
date of expiration
certificate number

Employment record

STATE BOARD FOR CERTIFICATION OF SEWAGE TREATMENT PLANT & WATERWORKS OPERATORS

APPLICATION FOR CERTIFICATE TO OPERATE SEWAGE TREATMENT PLANTS & WATERWORKS

(READ ATTACHED INSTRUCTIONS CAREFULLY BEFORE COMPLETING APPLICATION)

☐ REGULAR CERTIFICATE

☐ SPECIAL CERTIFICATE

☐ TYPE OF PLANT FOR WHICH CERTIFICATION IS REQUESTED

Figure 30

SECTION 1 - TO BE COMPLETED BY ALL APPLICANTS

SECTION 2 - DEPARTMENT USE ONLY

LAST NAME FIRST & MIDDLE INITIAL

ADDRESS NUMBER & STREET

CITY

STATE

ZIP CODE

COUNTY

SOCIAL SECURITY NO - - BIRTH DATE - -

DESIRED TESTING LOCATION

TELEPHONE (Include Area Code) HOME BUSINESS

NUMBER OF YEARS EXPERIENCE AT

SEWAGE TREATMENT PLANT

WATER TREATMENT PLANT

WATER DISTRIBUTION SYSTEM

EDUCATION

HIGHEST GRADE COMPLETED/DEGREE

TRAINING

CORRESPONDENCE COURSE(S) SHORT COURSE(S)

CARD 1
TYPE LIST ☐

OPERATOR NUMBER

CARD NUMBER

CARD 2
COUNTY CODE

DATE CERTIFIED

CERTIFICATE STATUS ☐

LOCATION CODE

PROGRAM CODE ☐

ESTABLISHMENT NO.

CASE NO.

FACILITY NO.

CERTIFICATE TYPE ☐

KIND OF CERTIFICATE ☐

CERTIFICATE CLASS ☐

TYPE BY NO. ☐ CARD TYPE ☐

I, BEING DULY SWORN ACCORDING TO LAW, DEPOSE AND SAY THAT I AM THE APPLICANT AND THAT THE STATEMENTS SUBMITTED IN THIS APPLICATION ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

AFFIDAVIT

COMMONWEALTH OF PENNSYLVANIA
COUNTY OF SS
SWORN TO AND SUBSCRIBED BEFORE ME
THIS DAY OF 19

SIGNATURE OF APPLICANT

NOTARY PUBLIC

THIS COMMISSION EXPIRES

SEAL

I HAD THE DIRECT RESPONSIBILITY, AS DEFINED IN THE RULES AND REGULATIONS, FOR THE OPERATION OF THE PLANT/SYSTEM INDICATED BELOW ON NOVEMBER 18, 1968.

NOTE: EMPLOYER AND/OR SUPERVISOR MAY BE CONTACTED FOR VERIFICATION OF INFORMATION SUBMITTED BY YOU.

INDICATE BELOW ONLY DATA APPLICABLE TO YOUR EMPLOYMENT ON NOVEMBER 18, 1968

YOUR JOB TITLE		NAME & ADDRESS OF PLANT/DISTRIBUTION SYSTEM (Include County)
PLANT CLASSIFICATION [][]	SUPERVISOR'S NAME & JOB TITLE	
CURRENT JOB TITLE		NAME & ADDRESS OF CURRENT EMPLOYER

Figure 30 (continued)

SECTION 4 - TO BE COMPLETED BY APPLICANTS FOR REGULAR CERTIFICATES ONLY

PENNSYLVANIA PROFESSIONAL ENGINEER'S REGISTRATION NO. (If Applicable)	EXAMINED IN CIVIL OR SANITARY ENGINEERING	
[][][][][][][][]	YES ☐ NO ☐	
PREVIOUS CERTIFICATION		
TYPE	CERTIFYING PROGRAM AGENCY	STATE
VOLUNTARY		
MANDATORY		
CERTIFICATE CLASSIFICATION CODE	DATE CERTIFICATE EXPIRES	CERTIFICATE NUMBER
[][][]	[][] - [][] - [][][]	

EMPLOYMENT RECORD

INSTRUCTIONS: START WITH YOUR MOST RECENT EMPLOYMENT AND WORK BACK. DESCRIBE YOUR DUTIES AND RESPONSIBILITIES IN EACH JOB. IF YOUR DUTIES CHANGED, DESCRIBE EACH CHANGE AS A NEW POSITION. IF YOU REQUIRE MORE SPACE, USE PLAIN PAPER; BE SURE TO IDENTIFY ANY ADDITIONAL SHEETS WITH THE JOB NUMBER AND YOUR SOCIAL SECURITY NUMBER.

NAME & ADDRESS OF EMPLOYER	YOUR TITLE	DATE OF EMPLOYMENT	TYPE/CLASS OF PLANT	NO. YOU SUPERVISE	OFFICIAL USE ONLY	
	JOB NO.	MO. YR.	SUPERVISOR'S NAME		EVAL.	VER.
	1					

DUTIES & RESPONSIBILITIES

NAME & ADDRESS OF EMPLOYER	YOUR TITLE	DATE OF EMPLOYMENT	TYPE/CLASS OF PLANT	NO. YOU SUPERVISE	OFFICIAL USE ONLY	
	JOB NO.	FROM TO	SUPERVISOR'S NAME		EVAL.	VER.
	2					

DUTIES & RESPONSIBILITIES

NAME & ADDRESS OF EMPLOYER	YOUR TITLE	DATE OF EMPLOYMENT	TYPE/CLASS OF PLANT	NO. YOU SUPERVISE	OFFICIAL USE ONLY	
	JOB NO.	FROM TO	SUPERVISOR'S NAME		EVAL.	VER.
	3					

DUTIES & RESPONSIBILITIES

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
Bureau of Water Quality Management
CONTACT SUBSYSTEM NON-CERTIFICATION INPUT

Figure 31

ALL CARDS

	SYS CODE	IDENTIFICATION	SYS LEVEL
A	2-4	5-34	35-37

CARD 1

	LAST NAME	INITIALS F L	SOCIAL SECURITY	BIRTH DATE MO DAY YR
1	39-58	59-60	61-68	70-75

CARD 2

	ADDRESS LINE 1	HOME TELEPHONE
2	39-58	59-68

CARD 3

	ADDRESS LINE 2	BUSINESS TELEPHONE
3	39-58	59-68

CARD 4

	ADDRESS LINE 3	ZIP CODE
4	39-58	59-63

D CHECK IF DELETE IS TO BE PUNCHED ☐
38

I CHECK IF CHANGE TO INACTIVE ☐
38

A CHECK IF CHANGE TO ACTIVE ☐
38

NOTE

FIELD IDENTIFICATIONS ARE FOR
STANDARD NAME AND ADDRESS LISTINGS.
FIELDS MAY BE UTILIZED FOR OTHER DATA
AT THE DISCRETION OF THE OPERATOR
(Exception - Fields 2-4 may not be changed)

Figure 32

[illegible]

Figure 32 (continued)

[illegible]

Figure 32 (continued)

CONTACT-SUBSYSTEM		COMMONS-ALTN-OF-PENNSYLVANIA		PAGE	
PROGRAM-BCIPR33		DEPARTMENT OF ENVIRONMENTAL RESOURCES		AS-OF-DATE 01/16/74	
6202		192-0000000000000000		CERTIFIED OPERATOR LISTING	
SYS-CODE		ID-CODE	SYS LEVEL	CERTIFICATE NO.	OPERATOR NO.
E C AL220		BUSINESS PHONE	DATE OF BIRTH	CERTIFICATE CLASS	
63K-15		HOME PHONE	01-34-5249	CERTIFICATE TYPE-SPECIAL	PLANT SEVER
LY-SE		COUNTY	-CLEARFIELD COUNTY	DATE CERTIFIED	DESIGN CAPACITY
PEN-SYLVANIA		LEVEL	01	EXPIRATION DATE	74
15949		EDUCATION	CA	CERTIFICATE KIND	3
210-05-9237		EXPERIENCE /S 08 /	10 /C	REGISTRATION NO	ND
		TRAINING		EXAMINED	
001		29-007-705-01-100	001	SC410	SC410
E F ARKINS		BUSINESS PHONE	DATE OF BIRTH	CERTIFICATE CLASS	
433 GREENE ROAD		HOME PHONE	005-0113	CERTIFICATE TYPE-REGULAR	PLANT SEVER
CAR-10518		COUNTY	215-055-2779	DATE CERTIFIED	DESIGN CAPACITY
PEN-SYLVANIA		LEVEL	01	EXPIRATION DATE	74
10974		EDUCATION	12	CERTIFICATE KIND	3
299-05-2503		EXPERIENCE /S 09 /	10 /C	REGISTRATION NO	ND
		TRAINING		EXAMINED	
001		97-053-G-01-01-100	001	SC562	SC562
H C ARKINS		BUSINESS PHONE	DATE OF BIRTH	CERTIFICATE CLASS	
A-6-C		HOME PHONE	225-4731	CERTIFICATE TYPE-SPECIAL	PLANT SEVER
SEVEN VALLEYS		COUNTY	225-1091	DATE CERTIFIED	DESIGN CAPACITY
PEN-SYLVANIA		LEVEL	001	EXPIRATION DATE	74
17360		EDUCATION	10	CERTIFICATE KIND	3
102-23-3530		EXPERIENCE /S 02 /	10 /C	REGISTRATION NO	ND
		TRAINING		EXAMINED	
001		63-950-7-02-01-100	001	SC120	SC120
P ALBERT		BUSINESS PHONE	DATE OF BIRTH	CERTIFICATE CLASS	
2012-ALBURY ST		HOME PHONE	412-941-0709	CERTIFICATE TYPE-SPECIAL	PLANT SEVER
PEN-SYLVANIA		COUNTY	412-035-7360	DATE CERTIFIED	DESIGN CAPACITY
15102		LEVEL	001	EXPIRATION DATE	74
182-12-0223		EDUCATION	12	CERTIFICATE KIND	3
		EXPERIENCE /S 13 /	10 /C	REGISTRATION NO	ND
		TRAINING		EXAMINED	
001		95-999-7-09-99-999	001	SC130	SC130
P ALBERT		BUSINESS PHONE	DATE OF BIRTH	CERTIFICATE CLASS	
2012-ALBURY ST		HOME PHONE	412-941-0709	CERTIFICATE TYPE-REGULAR	PLANT SEVER
PEN-SYLVANIA		COUNTY	412-035-7360	DATE CERTIFIED	DESIGN CAPACITY
15102		LEVEL	001	EXPIRATION DATE	74
		EDUCATION	12	CERTIFICATE KIND	3

Reproduced from
best available copy.

Figure 32 (continued)

CONTACT SUPERVISOR	COMPANY NAME	DEPARTMENT	ENVIRONMENTAL RESOURCES	PAGE
08-013-107-150	180107000-000-000-000	CERTIFIED OPERATOR LISTING	AS OF DATE 01/16/76	1
SYS CODE	IC CODE	SYS LEVEL	CERTIFICATE NO.	OPERATOR NO.
001	01-002-7-01-01-100	001	S-550	S-550
F T SHEARER	BUSINESS PHONE 717-334-0738	DATE OF BIRTH 04/11/19	CERTIFICATE CLASS	
233 SOUTHWEST ST	CITY PHOENIX	CERTIFICATE TYPE-SPECIAL	PLANT SEWER	
SEATTLE WA	COUNTY MARICOPA	DATE CERTIFIED 0471	DESIGN CAPACITY	
17328	LEVEL 001	EXPIRATION DATE 76		
178-07-0971	EXPIRATION DATE 76	CERTIFICATE NO. 5	PLANT TYPE	9
	EXPIRATION DATE 76	REGISTRATION NO. NO	CERTIFICATE STATUS	A
001	01-002-7-01-01-100	001	S-525	S-525
F T SHEARER	BUSINESS PHONE 717-334-0738	DATE OF BIRTH 01/12/20	CERTIFICATE CLASS	
233 SOUTHWEST ST	CITY PHOENIX	CERTIFICATE TYPE-SPECIAL	PLANT SEWER	
SEATTLE WA	COUNTY MARICOPA	DATE CERTIFIED 0471	DESIGN CAPACITY	
17328	LEVEL 001	EXPIRATION DATE 76		
193-07-0425	EXPIRATION DATE 76	CERTIFICATE NO. 5	PLANT TYPE	1
	EXPIRATION DATE 76	REGISTRATION NO. NO	CERTIFICATE STATUS	A
001	01-002-7-01-01-100	001	S-530	S-530
F T SHEARER	BUSINESS PHONE 717-334-0738	DATE OF BIRTH 05/29/20	CERTIFICATE CLASS	
233 SOUTHWEST ST	CITY PHOENIX	CERTIFICATE TYPE-SPECIAL	PLANT SEWER	
SEATTLE WA	COUNTY MARICOPA	DATE CERTIFIED 0471	DESIGN CAPACITY	
17328	LEVEL 001	EXPIRATION DATE 76		
203-07-0411	EXPIRATION DATE 76	CERTIFICATE NO. 5	PLANT TYPE	1
	EXPIRATION DATE 76	REGISTRATION NO. NO	CERTIFICATE STATUS	A
001	01-002-7-01-01-100	001	S-534	S-534
F T SHEARER	BUSINESS PHONE 717-334-0738	DATE OF BIRTH 12/02/18	CERTIFICATE CLASS	
233 SOUTHWEST ST	CITY PHOENIX	CERTIFICATE TYPE-SPECIAL	PLANT SEWER	
SEATTLE WA	COUNTY MARICOPA	DATE CERTIFIED 1113	DESIGN CAPACITY	
17340	LEVEL 001	EXPIRATION DATE 76		
179-07-1616	EXPIRATION DATE 76	CERTIFICATE NO. 5	PLANT TYPE	1
	EXPIRATION DATE 76	REGISTRATION NO. NO	CERTIFICATE STATUS	A
001	01-002-7-01-01-100	001	S-576	S-576
F T SHEARER	BUSINESS PHONE 717-334-0738	DATE OF BIRTH 02/19/18	CERTIFICATE CLASS	
233 SOUTHWEST ST	CITY PHOENIX	CERTIFICATE TYPE-SPECIAL	PLANT SEWER	
SEATTLE WA	COUNTY MARICOPA	DATE CERTIFIED 1113	DESIGN CAPACITY	
17340	LEVEL 001	EXPIRATION DATE 76		
179-07-1616	EXPIRATION DATE 76	CERTIFICATE NO. 5	PLANT TYPE	1
	EXPIRATION DATE 76	REGISTRATION NO. NO	CERTIFICATE STATUS	A

Reproduced from
best available copy.

Figure 32 (continued)

[illegible]

Examples of certificates and wallet renewal forms issued through use of the module are illustrated in Figures 33 and 34, respectively.

2. Name and Address Listing -- This report is a compilation of all inputs submitted by the Contract Subsystem Non-Certification Input. It conforms in all respect to that input. An example partial listing of consulting engineers whose names and addresses are included in the subsystem is given in Figure 35.

3. Activity Listing -- This output report is a summary of activities within the certification program for a given report period. The output from this report includes: type of activity (errors, additions, deletions, changes), operator identification codes, names and addresses, and comments (diagnostics) such as "addition to contact master".

The report also totals the number of activities during the report period, and given output totals such as number of name and address reports and labels, certified operators, and certificates and wallet renewal forms issued.

4. Date Expiration Listing -- This report identifies operators by name and address whose certification requires renewal.

5. Initial Error Listing -- This report cites errors and the reason for rejection in the certification input. It also compiles totals for records input and dropped and errors found.

Uses

The two parts of the Contact Module are the certification portion and the contact portion. As stated earlier, the Division of Water Supply and Sewerage administers the certification program making extensive use of this module. All applications are processed through the system, mailings are made using it, and certificates and wallet renewals are printed by it. All of the certification program files are contained within this WAMIS Module.

Notification of policy changes, hearings, modified or new state and federal regulations, and general interest information can be made by mailings through use of the system. This notification can be broad or selective depending upon the "system levels" that are accessed.

A typical example of the usefulness of the Contact Module occurred following Hurricane Agnes where it was imperative to issue instructions to numerous groups.



Department of Environmental Resources

In accordance with the
SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS CERTIFICATION ACT
and the Regulations of the
STATE BOARD FOR CERTIFICATION

Is Hereby Authorized To Operate

Figure 33

Certificate No.

Date Issued

Carl A. Tuckman
Chairman, Certification Board

ER 711.5287-72

Figure 34

POCKET CARD
(FOR YOUR PERSONAL USE)

STATE BOARD FOR CERTIFICATION OF
SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS

CERTIFICATE NO. S2319

Joseph Smith
443 Herald Ave.
Sunshine City, Pa. 16001

IS AUTHORIZED TO OPERATE

Sewage Treatment Plant E 4

VALID UNTIL June 30, 1974

Department of Health H/10 062 10-70

STATE BOARD FOR CERTIFICATION OF
SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS

CERTIFICATE NO. S2319

Joseph Smith
443 Herald Ave.
Sunshine City, Pa. 16001

VALID UNTIL June 30, 1974

DISPLAY WITH CERTIFICATE
REPLACE WHEN CERTIFICATE IS RENEWED
YOU WILL BE NOTIFIED WHEN TO APPLY FOR RENEWAL

Department of Health H/10 062 10-70

POCKET CARD
(FOR YOUR PERSONAL USE)

STATE BOARD FOR CERTIFICATION OF
SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS

CERTIFICATE NO. S2319

Joseph Smith
443 Herald Ave.
Sunshine City, Pa. 16001

IS AUTHORIZED TO OPERATE

Sewage Treatment Plant E 4

VALID UNTIL June 30, 1974

Department of Health H/10 062 10-70

CERTIFICATE VALIDATION
DISPLAY WITH CERTIFICATE
(REPLACE WHEN CERTIFICATE IS RENEWED)

STATE BOARD FOR CERTIFICATION OF
SEWAGE TREATMENT PLANT AND WATERWORKS OPERATORS

CERTIFICATE NO. S2319

Joseph Smith
443 Herald Ave.
Sunshine City, Pa. 16001

VALID UNTIL June 30, 1974

DISPLAY WITH CERTIFICATE
REPLACE WHEN CERTIFICATE IS RENEWED
YOU WILL BE NOTIFIED WHEN TO APPLY FOR RENEWAL

Department of Health H/10 062 10-70

Figure 35

CONTACT SUBSYSTEM		COMMONWEALTH OF PENNSYLVANIA		PAGE 30	
PROGRAM AC2050		DEPARTMENT OF ENVIRONMENTAL RESOURCES		AS OF DATE 08/29/73	
*103014		NAME AND ADDRESS LISTING			
SYSTEM CONTROL FIELDS		NAME AND ADDRESSES		TELEPHONES	
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	13461	W R WHITLEY		BUSINESS	S.S. NUMBER
SYS LEVEL PA		607 RANCLUFF RD		HOME	BIRTH DATE
		PAENNA	16109		
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	14009	X B HITZUCK		BUSINESS	S.S. NUMBER
SYS LEVEL PA		1412 MARKET ST		HOME	BIRTH DATE
		CAMP HILL	17011		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	06555	A L WIESFINGER ASC INC		BUSINESS	S.S. NUMBER
SYS LEVEL PA		2440 HAMILTON BLVD		HOME	BIRTH DATE
		ALLENTOWN	18103		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	05129	R F ALPS		BUSINESS	S.S. NUMBER
SYS LEVEL PA		449 COLLEGE AVE		HOME	BIRTH DATE
		GRELSBURG			
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	14933	J L NELSON		BUSINESS	S.S. NUMBER
SYS LEVEL PA		REGIONAL CIVIL ENG		HOME	BIRTH DATE
		302 N MERCER ST	18101		
		NE CASTLE PA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	98020	WITCH CIVIL CORP		BUSINESS	S.S. NUMBER
SYS LEVEL PA		SELYN BRUCKS ENG		HOME	BIRTH DATE
		PETHLIA	10050		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	11577-E	VENKES ENG CO		BUSINESS	S.S. NUMBER
SYS LEVEL PA		101 CHARLES DR		HOME	BIRTH DATE
		DAYTON	19010		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	51-005	P M VERMAAS INC		BUSINESS	S.S. NUMBER
SYS LEVEL PA		1920 CHESTNUT ST		HOME	BIRTH DATE
		PHILADELPHIA	19103		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	03469	M YOCUM		BUSINESS	S.S. NUMBER
SYS LEVEL PA		925 ORANGE ST		HOME	BIRTH DATE
		SARASOTA	17072		
		PAENNA			
SYS CODE 014					
ID CODE CONSULTING ENGINEERS	05173	M W VOST		BUSINESS	S.S. NUMBER
SYS LEVEL PA		215 E MAPLET ST		HOME	BIRTH DATE
		CLEARFIELD	16830		
		PAENNA			


 Reproduced from
best available copy.

Figure 35 (continued)

PROGRAM C-2350 DEPARTEMENT

PRGR44 MCPSO DEPARTE
#10714 06100000000000000000

NAME AND ADDRESS LISTED

[illegible]

PROGRAM BC2350		DEPARTMENT OF ENVIRONMENTAL RESOURCES		AS OF DATE 08/29/73	
*10116		NAME AND ADDRESS LISTING			
00100000000000000000					
SYSTEM CONTROL FIELD		NAME AND ADDRESSES		TELEPHONES	
SYS CODE 014	17-003	MOST ASSOCIATES, INC		BUSINESS	
ID CODE		DEPOSITARY BANK BLD		HOME	
SYS LEVEL PA		COLUMBIA		BIRTH DATE	
		PENNA		/ /	
SYS CODE 014	01403-E	W. ZABIAN		BUSINESS	
ID CODE		4400 4TH AVE		HOME	
SYS LEVEL PA		COLUMBIA		BIRTH DATE	
		PENNA		/ /	
SYS CODE 014	05133-E	J G ZABATKIS		BUSINESS	
ID CODE		330 LAKEVIEW AVE		HOME	
SYS LEVEL PA		LAKEVIEW		BIRTH DATE	
		PENNA		/ /	
SYS CODE 014	04940	W J ZIMMERMAN		BUSINESS	
ID CODE		PO BOX 145		HOME	
SYS LEVEL PA		PENNA		BIRTH DATE	
				/ /	
SYS CODE 014	03406-E	K J ZIMMERMAN		BUSINESS	
ID CODE		PHILA WATER DEPT		HOME	
SYS LEVEL PA		CITY HALL BLD RM1000		BIRTH DATE	
		PHILADELPHIA, PA		/ /	
SYS CODE 014	50408	G. J. ZIMMERMAN		BUSINESS	
ID CODE		PO BOX 145		HOME	
SYS LEVEL PA		PORT WORTH TEXAS		BIRTH DATE	
		17901		/ /	
SYS CODE 014	50402	ZELLER, J. R. & CO		BUSINESS	
ID CODE		PO BOX 145		HOME	
SYS LEVEL PA		HUNTINGTON WV		BIRTH DATE	
		25712		/ /	
SYS CODE 014	70-010	WHEELING PITTSBURGH		BUSINESS	
ID CODE		STEEL CORP		HOME	
SYS LEVEL PA		HUNTINGTON WV		BIRTH DATE	
		24003		/ /	

NAME FILE

General Description

The Name File is used in support of all systems as needed, but is maintained independently of them. Elements of the Name File can be used in all modules. The types of names maintained are counties, municipalities, regions, field offices, streams, and stations.

Input and output forms and reports which comprise the Name File are shown in Table 10.

Input

Four basic inputs are used in the Name File: county and municipality, network, indicator (parameter) and basin. Inputs may come from a variety of sources within the Bureau, and are intended to file information for each category.

The county and municipality input (Figure 36) includes an identification number for the county (two digit) and the municipality (three digit). In addition, the name of the county or municipality is listed along with an abbreviation. Appropriate numerical codes for cognizant region and field office are included.

Network stations are included as part of the Name File. For each station, the following information is input into WAMIS by the Division of Water Quality (Figure 37): a pre-determined station identification code number, station description (e.g., "Trenton Avenue Bridge at Morrisville"), stream name, type of station, region, field office, latitude-longitude, and map number.

An indicator is a STORET parameter such as sample weight in pounds, water temperature in degrees Fahrenheit, or chemical concentration in mg/l. In order to input into the Name File, the following information must be coded in the field: indicator code number, indicator name (description), and the value and decimal locator (Figure 38). This information is loaded from EPA's STORET parameter code file to provide consistency between agencies.

The basin input into the Name File simply is coded numbers for the major and minor basins indicated and the appropriate stream (Figure 39). Also included is the stream name.

Output

Name File output for network stations, counties, and municipalities, indicators, and basin names conform exactly to the information input.

Table 10. NAME FILE INPUT AND OUTPUT FORMS AND REPORTS

Input

County or Municipality Name File Input

Network Name File Input

Indicator Name File Input

Basin Name File Input

Output

County and Municipality Listing

Water Quality Networks Listing

Indicator Listing

Basin Name Listing

Name File Listing Control Totals

Name File Error Listing

Latitude-Longitude Cross-Referenced to
Identification Code

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF HEALTH
SANITARY ENGINEERING

NAME FILE INPUT - COUNTY OR MUNICIPALITY

Figure 36

(CIRCLE ONE)		COUNTY OR MUNICIPALITY		NAME		COUNTY OR MUNICIPALITY		ASSOCIATION		REGION		FIELD OFFICE	
N	I	A	C	D	1	2	3	4	5	6	7	8	9
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐										

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL RESOURCES
Bureau of Water Quality Management
NAME FILE INPUT - NETWORK

Figure 37

NETWORK NO.				STREAM NAME																	
N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
STREAM DESCRIPTION																					
23-47																					
ACTUAL LOC										TYPE		HS REGION		FIELD OFFICE		MAP NUMBER					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

N	A	C	D	2																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
23-47																					
48-52										53		54		55		56-60					

NAME FILE INPUT - INDICATOR:

111

NAME FILE INPUT - BASIN

[illegible]

The File merely compiles and arranges the input data. Output examples for each are shown in Figures 40 through 43.

The error listing gives an identification of the input information and prints out the reason for rejection, while the Name File Control Totals Report (Figure 44) summarizes all subsystem transactions by appropriate category.

Latitude-longitude coordinates are cross-referenced to identification codes for facilities. Although this is not a part of the Name File, the purpose served is similar. This cross-referencing is used in support of all modules. Figure 45 shows printouts on a state-wide and regional basis.

Uses

As stated earlier, the principal use of the Name File is in support of all modules. Information is filed and accessed by programs included in each module as needed.

CD	TH	ADRV	N A M E	REGION	FIELD OFFICE
01-000	AD AR	AD AR	AD AR	3	4
01-001	GRASP	GRASP	GRASP	3	4
01-002	LTSL	LTSL	LTSL	3	4
01-003	PCSM	PCSM	PCSM	3	4
01-004	AR-PS	AR-PS	AR-PS	3	4
01-005	AR-PS	AR-PS	AR-PS	3	4
01-006	BR-PS	BR-PS	BR-PS	3	4
01-007	BR-PS	BR-PS	BR-PS	3	4
01-008	BR-PS	BR-PS	BR-PS	3	4
01-009	BR-PS	BR-PS	BR-PS	3	4
01-010	BR-PS	BR-PS	BR-PS	3	4
01-011	BR-PS	BR-PS	BR-PS	3	4
01-012	BR-PS	BR-PS	BR-PS	3	4
01-013	BR-PS	BR-PS	BR-PS	3	4
01-014	BR-PS	BR-PS	BR-PS	3	4
01-015	BR-PS	BR-PS	BR-PS	3	4
01-016	BR-PS	BR-PS	BR-PS	3	4
01-017	BR-PS	BR-PS	BR-PS	3	4
01-018	BR-PS	BR-PS	BR-PS	3	4
01-019	BR-PS	BR-PS	BR-PS	3	4
01-020	BR-PS	BR-PS	BR-PS	3	4
01-021	BR-PS	BR-PS	BR-PS	3	4
01-022	BR-PS	BR-PS	BR-PS	3	4
01-023	BR-PS	BR-PS	BR-PS	3	4
01-024	BR-PS	BR-PS	BR-PS	3	4
01-025	BR-PS	BR-PS	BR-PS	3	4
01-026	BR-PS	BR-PS	BR-PS	3	4
01-027	BR-PS	BR-PS	BR-PS	3	4
01-028	BR-PS	BR-PS	BR-PS	3	4
01-029	BR-PS	BR-PS	BR-PS	3	4
01-030	BR-PS	BR-PS	BR-PS	3	4
01-031	BR-PS	BR-PS	BR-PS	3	4
01-032	BR-PS	BR-PS	BR-PS	3	4
01-033	BR-PS	BR-PS	BR-PS	3	4
01-034	BR-PS	BR-PS	BR-PS	3	4
01-035	BR-PS	BR-PS	BR-PS	3	4
01-036	BR-PS	BR-PS	BR-PS	3	4
01-037	BR-PS	BR-PS	BR-PS	3	4
01-038	BR-PS	BR-PS	BR-PS	3	4
01-039	BR-PS	BR-PS	BR-PS	3	4
01-040	BR-PS	BR-PS	BR-PS	3	4
01-041	BR-PS	BR-PS	BR-PS	3	4
01-042	BR-PS	BR-PS	BR-PS	3	4
01-043	BR-PS	BR-PS	BR-PS	3	4
01-044	BR-PS	BR-PS	BR-PS	3	4
01-045	BR-PS	BR-PS	BR-PS	3	4
01-046	BR-PS	BR-PS	BR-PS	3	4
01-047	BR-PS	BR-PS	BR-PS	3	4
01-048	BR-PS	BR-PS	BR-PS	3	4
01-049	BR-PS	BR-PS	BR-PS	3	4
01-050	BR-PS	BR-PS	BR-PS	3	4
01-051	BR-PS	BR-PS	BR-PS	3	4
01-052	BR-PS	BR-PS	BR-PS	3	4
01-053	BR-PS	BR-PS	BR-PS	3	4
01-054	BR-PS	BR-PS	BR-PS	3	4
01-055	BR-PS	BR-PS	BR-PS	3	4
01-056	BR-PS	BR-PS	BR-PS	3	4
01-057	BR-PS	BR-PS	BR-PS	3	4
01-058	BR-PS	BR-PS	BR-PS	3	4
01-059	BR-PS	BR-PS	BR-PS	3	4
01-060	BR-PS	BR-PS	BR-PS	3	4
01-061	BR-PS	BR-PS	BR-PS	3	4
01-062	BR-PS	BR-PS	BR-PS	3	4
01-063	BR-PS	BR-PS	BR-PS	3	4
01-064	BR-PS	BR-PS	BR-PS	3	4
01-065	BR-PS	BR-PS	BR-PS	3	4
01-066	BR-PS	BR-PS	BR-PS	3	4
01-067	BR-PS	BR-PS	BR-PS	3	4
01-068	BR-PS	BR-PS	BR-PS	3	4
01-069	BR-PS	BR-PS	BR-PS	3	4
01-070	BR-PS	BR-PS	BR-PS	3	4
01-071	BR-PS	BR-PS	BR-PS	3	4
01-072	BR-PS	BR-PS	BR-PS	3	4
01-073	BR-PS	BR-PS	BR-PS	3	4
01-074	BR-PS	BR-PS	BR-PS	3	4
01-075	BR-PS	BR-PS	BR-PS	3	4
01-076	BR-PS	BR-PS	BR-PS	3	4
01-077	BR-PS	BR-PS	BR-PS		

Figure 40 (continued)

WHEP20	COUNTY AND MUNICIPALITY LISTING	RUN DATE 11/30/73	PAGE 2
	NAME	REGION	FIELD OFFICE
02-181	NT BROCK	5	6
02-182	4 VRSLE Y	5	6
02-183	PLUM BORO	5	6
02-184	SCOT TAP	5	6
02-185	SHALER TAP	5	6
02-186	STONE TAP	5	6
02-187	SUNNYSIDE BORO	5	6
02-188	TATL CBA	5	6
02-189	WYTHALL BORO	5	6
02-190	WYTHALL BORO	5	6
02-191	WYTHALL BORO	5	6
02-192	WYTHALL BORO	5	6
02-193	WYTHALL BORO	5	6
02-194	WYTHALL BORO	5	6
02-195	WYTHALL BORO	5	6
02-196	WYTHALL BORO	5	6
02-197	WYTHALL BORO	5	6
02-198	WYTHALL BORO	5	6
02-199	WYTHALL BORO	5	6
02-200	WYTHALL BORO	5	6
02-201	WYTHALL BORO	5	6
02-202	WYTHALL BORO	5	6
02-203	WYTHALL BORO	5	6
02-204	WYTHALL BORO	5	6
02-205	WYTHALL BORO	5	6
02-206	WYTHALL BORO	5	6
02-207	WYTHALL BORO	5	6
02-208	WYTHALL BORO	5	6
02-209	WYTHALL BORO	5	6
02-210	WYTHALL BORO	5	6
02-211	WYTHALL BORO	5	6
02-212	WYTHALL BORO	5	6
02-213	WYTHALL BORO	5	6
02-214	WYTHALL BORO	5	6
02-215	WYTHALL BORO	5	6
02-216	WYTHALL BORO	5	6
02-217	WYTHALL BORO	5	6
02-218	WYTHALL BORO	5	6
02-219	WYTHALL BORO	5	6
02-220	WYTHALL BORO	5	6
02-221	WYTHALL BORO	5	6
02-222	WYTHALL BORO	5	6
02-223	WYTHALL BORO	5	6
02-224	WYTHALL BORO	5	6
02-225	WYTHALL BORO	5	6
02-226	WYTHALL BORO	5	6
02-227	WYTHALL BORO	5	6
02-228	WYTHALL BORO	5	6
02-229	WYTHALL BORO	5	6
02-230	WYTHALL BORO	5	6
02-231	WYTHALL BORO	5	6
02-232	WYTHALL BORO	5	6
02-233	WYTHALL BORO	5	6
02-234	WYTHALL BORO	5	6
02-235	WYTHALL BORO	5	6
02-236	WYTHALL BORO	5	6
02-237	WYTHALL BORO	5	6
02-238	WYTHALL BORO	5	6
02-239	WYTHALL BORO	5	6
02-240	WYTHALL BORO	5	6
02-241	WYTHALL BORO	5	6
02-242	WYTHALL BORO	5	6
02-243	WYTHALL BORO	5	6
02-244	WYTHALL BORO	5	6
02-245	WYTHALL BORO	5	6
02-246	WYTHALL BORO	5	6
02-247	WYTHALL BORO	5	6

Reproduced from
best available copy.

3576

116

PAGE 3

117

Figure 41 (continued)

[illegible]

Figure 42

NUMBER

INDICATOR LISTING

RUN DATE 11/30/73

PAGE 1

CODE	ABBREVIATIONS	DESCRIPTION	DEC LOC
0001	MSAMBLIC	FT FROM	XXXXX
0002	MSAMBLIC	FT FROM	XXXXX
0003	VSAMBLIC	DEPTH	XXXXX
0004	VSAMBLIC	DEPTH	XXXXX
0005	VSAMBLIC	DEPTH	XXXXX
0006	VSAMBLIC	DEPTH	XXXXX
0007	VSAMBLIC	DEPTH	XXXXX
0008	VSAMBLIC	DEPTH	XXXXX
0009	VSAMBLIC	DEPTH	XXXXX
0010	VSAMBLIC	DEPTH	XXXXX
0011	VSAMBLIC	DEPTH	XXXXX
0012	VSAMBLIC	DEPTH	XXXXX
0013	VSAMBLIC	DEPTH	XXXXX
0014	VSAMBLIC	DEPTH	XXXXX
0015	VSAMBLIC	DEPTH	XXXXX
0016	VSAMBLIC	DEPTH	XXXXX
0017	VSAMBLIC	DEPTH	XXXXX
0018	VSAMBLIC	DEPTH	XXXXX
0019	VSAMBLIC	DEPTH	XXXXX
0020	VSAMBLIC	DEPTH	XXXXX
0021	VSAMBLIC	DEPTH	XXXXX
0022	VSAMBLIC	DEPTH	XXXXX
0023	VSAMBLIC	DEPTH	XXXXX
0024	VSAMBLIC	DEPTH	XXXXX
0025	VSAMBLIC	DEPTH	XXXXX
0026	VSAMBLIC	DEPTH	XXXXX
0027	VSAMBLIC	DEPTH	XXXXX
0028	VSAMBLIC	DEPTH	XXXXX
0029	VSAMBLIC	DEPTH	XXXXX
0030	VSAMBLIC	DEPTH	XXXXX
0031	VSAMBLIC	DEPTH	XXXXX
0032	VSAMBLIC	DEPTH	XXXXX
0033	VSAMBLIC	DEPTH	XXXXX
0034	VSAMBLIC	DEPTH	XXXXX
0035	VSAMBLIC	DEPTH	XXXXX
0036	VSAMBLIC	DEPTH	XXXXX
0037	VSAMBLIC	DEPTH	XXXXX
0038	VSAMBLIC	DEPTH	XXXXX
0039	VSAMBLIC	DEPTH	XXXXX
0040	VSAMBLIC	DEPTH	XXXXX
0041	VSAMBLIC	DEPTH	XXXXX
0042	VSAMBLIC	DEPTH	XXXXX
0043	VSAMBLIC	DEPTH	XXXXX
0044	VSAMBLIC	DEPTH	XXXXX
0045	VSAMBLIC	DEPTH	XXXXX
0046	VSAMBLIC	DEPTH	XXXXX
0047	VSAMBLIC	DEPTH	XXXXX
0048	VSAMBLIC	DEPTH	XXXXX
0049	VSAMBLIC	DEPTH	XXXXX
0050	VSAMBLIC	DEPTH	XXXXX
0051	VSAMBLIC	DEPTH	XXXXX
0052	VSAMBLIC	DEPTH	XXXXX
0053	VSAMBLIC	DEPTH	XXXXX
0054	VSAMBLIC	DEPTH	XXXXX
0055	VSAMBLIC	DEPTH	XXXXX
0056	VSAMBLIC	DEPTH	XXXXX
0057	VSAMBLIC	DEPTH	XXXXX
0058	VSAMBLIC	DEPTH	XXXXX
0059	VSAMBLIC	DEPTH	XXXXX
0060	VSAMBLIC	DEPTH	XXXXX
0061	VSAMBLIC	DEPTH	XXXXX
0062	VSAMBLIC	DEPTH	XXXXX
0063	VSAMBLIC	DEPTH	XXXXX
0064	VSAMBLIC	DEPTH	XXXXX
0065	VSAMBLIC	DEPTH	XXXXX
0066	VSAMBLIC	DEPTH	XXXXX
0067	VSAMBLIC	DEPTH	XXXXX
0068	VSAMBLIC	DEPTH	XXXXX
0069	VSAMBLIC	DEPTH	XXXXX
0070	VSAMBLIC	DEPTH	XXXXX
0071	VSAMBLIC	DEPTH	XXXXX
0072	VSAMBLIC	DEPTH	XXXXX
0073	VSAMBLIC	DEPTH	XXXXX
0074	VSAMBLIC	DEPTH	XXXXX
0075	VSAMBLIC	DEPTH	XXXXX
0076	VSAMBLIC	DEPTH	XXXXX
0077	VSAMBLIC	DEPTH	XXXXX
0078	VSAMBLIC	DEPTH	XXXXX
0079	VSAMBLIC	DEPTH	XXXXX
0080	VSAMBLIC	DEPTH	XXXXX
0081	VSAMBLIC	DEPTH	XXXXX
0082	VSAMBLIC	DEPTH	XXXXX
0083	VSAMBLIC	DEPTH	XXXXX
0084	VSAMBLIC	DEPTH	XXXXX
0085	VSAMBLIC	DEPTH	XXXXX
0086	VSAMBLIC	DEPTH	XXXXX
0087	VSAMBLIC	DEPTH	XXXXX
0088	VSAMBLIC	DEPTH	XXXXX
0089	VSAMBLIC	DEPTH	XXXXX
0090	VSAMBLIC	DEPTH	XXXXX
0091	VSAMBLIC	DEPTH	XXXXX
0092	VSAMBLIC	DEPTH	XXXXX
0093	VSAMBLIC	DEPTH	XXXXX

0094	VSAMBLIC	DEPTH	XXXXX
0095	VSAMBLIC	DEPTH	XXXXX
0096	VSAMBLIC	DEPTH	XXXXX
0097	VSAMBLIC	DEPTH	XXXXX
0098	VSAMBLIC	DEPTH	XXXXX
0099	VSAMBLIC	DEPTH	XXXXX
0100	VSAMBLIC	DEPTH	XXXXX
0101	VSAMBLIC	DEPTH	XXXXX
0102	VSAMBLIC	DEPTH	XXXXX
0103	VSAMBLIC	DEPTH	XXXXX
0104	VSAMBLIC	DEPTH	XXXXX
0105	VSAMBLIC	DEPTH	XXXXX
0106	VSAMBLIC	DEPTH	XXXXX
0107	VSAMBLIC	DEPTH	XXXXX
0108	VSAMBLIC	DEPTH	XXXXX
0109	VSAMBLIC	DEPTH	XXXXX
0110	VSAMBLIC	DEPTH	XXXXX
0111	VSAMBLIC	DEPTH	XXXXX
0112	VSAMBLIC	DEPTH	XXXXX
0113	VSAMBLIC	DEPTH	XXXXX
0114	VSAMBLIC	DEPTH	XXXXX
0115	VSAMBLIC	DEPTH	XXXXX
0116	VSAMBLIC	DEPTH	XXXXX
0117	VSAMBLIC	DEPTH	XXXXX
0118	VSAMBLIC	DEPTH	XXXXX
0119	VSAMBLIC	DEPTH	XXXXX
0120	VSAMBLIC	DEPTH	XXXXX
0121	VSAMBLIC	DEPTH	XXXXX
0122	VSAMBLIC	DEPTH	XXXXX
0123	VSAMBLIC	DEPTH	XXXXX
0124	VSAMBLIC	DEPTH	XXXXX
0125	VSAMBLIC	DEPTH	XXXXX
0126	VSAMBLIC	DEPTH	XXXXX
0127	VSAMBLIC	DEPTH	XXXXX
0128	VSAMBLIC	DEPTH	XXXXX
0129	VSAMBLIC	DEPTH	XXXXX
0130	VSAMBLIC	DEPTH	XXXXX
0131	VSAMBLIC	DEPTH	XXXXX
0132	VSAMBLIC	DEPTH	XXXXX
0133	VSAMBLIC	DEPTH	XXXXX
0134	VSAMBLIC	DEPTH	XXXXX
0135	VSAMBLIC	DEPTH	XXXXX
0136	VSAMBLIC	DEPTH	XXXXX
0137	VSAMBLIC	DEPTH	XXXXX
0138	VSAMBLIC	DEPTH	XXXXX
0139	VSAMBLIC	DEPTH	XXXXX
0140	VSAMBLIC	DEPTH	XXXXX
0141	VSAMBLIC	DEPTH	XXXXX
0142	VSAMBLIC	DEPTH	XXXXX
0143	VSAMBLIC	DEPTH	XXXXX
0144	VSAMBLIC	DEPTH	XXXXX
0145	VSAMBLIC	DEPTH	XXXXX
0146	VSAMBLIC	DEPTH	XXXXX
0147	VSAMBLIC	DEPTH	XXXXX
0148	VSAMBLIC	DEPTH	XXXXX
0149	VSAMBLIC	DEPTH	XXXXX
0150	VSAMBLIC	DEPTH	XXXXX
0151	VSAMBLIC	DEPTH	XXXXX
0152	VSAMBLIC	DEPTH	XXXXX
0153	VSAMBLIC	DEPTH	XXXXX
0154	VSAMBLIC	DEPTH	XXXXX
0155	VSAMBLIC	DEPTH	XXXXX
0156	VSAMBLIC	DEPTH	XXXXX
0157	VSAMBLIC	DEPTH	XXXXX
0158	VSAMBLIC	DEPTH	XXXXX
0159	VSAMBLIC	DEPTH	XXXXX
0160	VSAMBLIC	DEPTH	XXXXX
0161	VSAMBLIC	DEPTH	XXXXX
0162	VSAMBLIC	DEPTH	XXXXX
0163	VSAMBLIC	DEPTH	XXXXX
0164	VSAMBLIC	DEPTH	XXXXX
0165	VSAMBLIC	DEPTH	XXXXX
0166	VSAMBLIC	DEPTH	XXXXX
0167	VSAMBLIC	DEPTH	XXXXX
0168	VSAMBLIC	DEPTH	XXXXX
0169	VSAMBLIC	DEPTH	XXXXX
0170	VSAMBLIC	DEPTH	XXXXX
0171	VSAMBLIC	DEPTH	XXXXX
0172	VSAMBLIC	DEPTH	XXXXX
0173	VSAMBLIC	DEPTH	XXXXX
0174	VSAMBLIC	DEPTH	XXXXX
0175	VSAMBLIC	DEPTH	XXXXX
0176	VSAMBLIC	DEPTH	XXXXX
0177	VSAMBLIC	DEPTH	XXXXX
0178	VSAMBLIC	DEPTH	XXXXX
0179	VSAMBLIC	DEPTH	XXXXX
0180	VSAMBLIC	DEPTH	XXXXX
0181	VSAMBLIC	DEPTH	XXXXX
0182	VSAMBLIC	DEPTH	XXXXX
0183	VSAMBLIC	DEPTH	XXXXX
0184	VSAMBLIC	DEPTH	XXXXX
0185	VSAMBLIC	DEPTH	XXXXX
0186	VSAMBLIC	DEPTH	XXXXX
0187	VSAMBLIC	DEPTH	XXXXX
0188	VSAMBLIC	DEPTH	XXXXX
0189	VSAMBLIC	DEPTH	XXXXX
0190	VSAMBLIC	DEPTH	XXXXX
0191	VSAMBLIC	DEPTH	XXXXX
0192	VSAMBLIC	DEPTH	XXXXX
0193	VSAMBLIC	DEPTH	XXXXX
0194	VSAMBLIC	DEPTH	XXXXX
0195	VSAMBLIC	DEPTH	XXXXX
0196	VSAMBLIC	DEPTH	XXXXX
0197	VSAMBLIC	DEPTH	XXXXX
0198	VSAMBLIC	DEPTH	XXXXX
0199	VSAMBLIC	DEPTH	XXXXX
0200	VSAMBLIC	DEPTH	XXXXX

122

SECTION IV

SYSTEM MANPOWER AND OPERATING COST REQUIREMENTS

Currently, the Bureau of Water Quality Management has 29 people working full-time in support of WAMIS. This number, however, does not give a true indication of the manpower required merely to maintain the three operational modules. Many of the staff located at headquarters devote a significant amount of their time toward system design and development.

Of the 29 people working full-time in support of WAMIS, 15 are located at headquarters and 2 are located at each of seven regional offices. A WAMIS coordinator interfaces between the various Bureau headquarters divisions. The other 14 headquarters personnel are part of the WAMIS section.

The Chief of the WAMIS Section administers two units: the Development and Operations Units. Classifications of personnel in the Section are as follows:

- Section Chief
- Unit Managers (2)
- Systems Analysts (2)
- Programmers (3)
- Clerical Staff (6)

Each region is served by a professional WAMIS field representative and a clerk, hence, there are 14 WAMIS field personnel.

Estimated existing annual operating costs for WAMIS are \$422,782. However as mentioned previously, some of the staff is involved in system design and development efforts. If only those headquarters personnel required to maintain the system as it now operates were used, the estimated annual operating budget would be \$288,340. This assumes that the following staff would be required: one manager, five clerical personnel, and 14 field personnel.

SECTION V

SYSTEMS APPLICATION SUMMARY

Detailed technical documentation contained in Volume II covers the Facility Status, Contact, and Water Quality Modules and the Name File. The Name File is treated separately because it is a support system. The Cross-Reference Subsystem, on the other hand, is routinely updated as a part of the weekly Facility Status update and, therefore, is documented as a part of that module.

Details on availability of program tapes can be obtained by contacting the Washington Environmental Research Center, EPA, Washington, D. C., 20460, or the Pennsylvania Department of Environmental Resources. The programs, in order on each tape are:

Program Name	Module
1. CFRR01	Facility Status
2. CFUR99	Facility Status
3. CFVW05	Facility Status
4. COPR50	Contact
5. COUR30	Contact
6. COVR10	Contact
7. FAPR63	Facility Status
8. FAPW80	Facility Status
9. FARR01	Facility Status
10. FARR60	Facility Status
11. FARR70	Facility Status
12. FARW10	Facility Status
13. FAUW40	Facility Status
14. FAVW30	Facility Status
15. NMUR30	Name File
16. SRPZ10	Facility Status
17. SRPZ30	Facility Status
18. SRPZ32	Facility Status
19. WQPW45	Water Quality
20. WQRR01	Water Quality
21. WQRR02	Water Quality
22. WQRW10	Water Quality
23. WQUW35	Water Quality
24. WQUW50	Water Quality
25. WQVW30	Water Quality
26. WQVW40	Water Quality

HARDWARE

All programs are written in RCA COBOL and, in their totality, consist of some 33,000 source statements. An RCA Spectra 70 MOD45 Computer is currently employed to operate the WAMIS system. However, it should be possible to operate the system on any comparably sized third or fourth generation computer with appropriate Job Control Language changes. The system should be particularly adaptable to IBM hardware configurations. All programs may be accommodated in 95K of core with four disk packs and six tape drives or some comparable combination of peripheral storage devices.

STAFF

The size of staff required to operate WAMIS, exclusive of program development, depends on the number of transactions and required turnaround time. A minimum staff would consist of an operations manager, programmer, operator, and a keypuncher. Although this staff is adequate, the number of keypunchers is considered minimal to support a viable and responsive system.

OPERATIONAL SCHEDULING

The Commonwealth of Pennsylvania updates the master files of the three operational WAMIS modules weekly. The system could be updated more (less) frequently if desired, thus insuring more (less) up-to-date master files and allowing the frequency of certain reports to be increased (decreased) should the user desire. Care must be taken in changing report frequency, however, to ensure that the change in frequency is meaningful. For instance, a report that is presently designed to provide statistical information over monthly periods cannot be changed to a weekly report without some changes in the calculating routines themselves. The running time for updating master files depends upon the computer configuration employed and the amount of data input, but an average weekly update of all master files for the Pennsylvania System requires approximately 20 hours on the RCA Spectra 70 configuration. A very rough rule of thumb for report production is 15 minutes per report in addition to update time. This rule of thumb must be taken liberally, since the running time of a report obviously depends on many things, including the number of calculations made to produce the report and, more importantly, the number of lines of print contained in the report itself.

ELEMENTS OF DOCUMENTATION

Documentation in the Appendices contains user inputs, sample reports, and the following for each module: system flowchart, clerical procedures, control procedures, operator's instructions, system book, and program books. All of the above mentioned documentation is complete with the exception of the operator's instructions section for the Water Quality

Module which is not available as of this date. There are 26 Program Books distributed as follows: 1 in Name File, 3 in Contact, 8 in Water Quality, and 14 in the Facility Status Module.

USER INPUTS

Punched (IBM) cards are the vehicles whereby information is entered into the WAMIS computers. These cards are usually punched by staff personnel at WAMIS headquarters from formatted coding sheets filled out by personnel in the field and subsequently forwarded to headquarters. Detailed instructions describing the manner in which the coding sheets are to be filled out, as well as instructions for transferring information from the coding sheets onto punched cards are contained in the user input section of the module documentation.

The importance of strict adherence to the procedures for entering data into the system cannot be overemphasized. The volume of data to be handled is very large and the personnel who collect are usually not oriented toward automatic data processing. Therefore, careful and detailed instruction in data entry procedures is a must if the system is to operate successfully. No matter how cleverly designed, an automated system will not produce credible output if its input is not within the limits of accuracy provided for in the system. Many automated systems have been discredited by poor data input design or procedures.

SAMPLE REPORTS

Actual sample reports produced by WAMIS are presented for each module. Actual report samples are used as well as report layouts to give the reader and prospective user the best possible picture of the type of information available from the Pennsylvania system in its present configuration. These are the basic reports only. There are an almost unlimited number of variations to these reports, major and minor, that can be obtained with very minor modifications to the report generating programs.

SYSTEM FLOWCHART

System flowcharts are included for each module and for the major subsystems within modules. Each flowchart consists of a block diagram representing the system and data flow throughout the system. Included are the required job control statements and descriptions of the data files. Examples of descriptions are type of volume the file resides on, record length, blocking factor, etc.

CLERICAL PROCEDURES

This subsection contains clerical procedures and a reference to the sample reports section. An example of a clerical procedure is the distribution of reports after they are produced.

CONTROL PROCEDURES

This section contains data control procedures and references to the system flowchart and sample reports sections. An example of a data control procedure is the routing of system inputs through the keypunch section to computer operations to final disposition.

OPERATOR'S INSTRUCTION

This is the computer run book and contains detailed run instructions for each program in the module along with reference to the system flowchart and sample reports sections. Included are abnormal halt messages and required actions. An example of a required action would be the correction of a mispunched control card followed by the required restart procedure.

SYSTEM BOOK

This is the system analyst's reference section. An introduction and narrative of the system is presented in this section. The system introduction describes the objectives of the system, and the system narrative briefly describes each program and its purpose. In addition, the system book has references to the system flowchart and sample reports. The system analyst would use this book to obtain an overview of the system and a brief narrative of the purpose of each program. It is particularly useful to the analyst in determining the impact that changes to one part of a system will have on the remaining parts.

PROGRAM BOOK

There is a program book for each of the 26 programs in WAMIS. The contents of each book are:

- Introduction
- Revision History
- Program Narrative
- System Segment Flowchart
- I/O Data Layouts
- Sample Reports
- Source Listing
- Operators' Section

The second step would entail running test data through all programs and checking the reports produced. The system flowcharts, job control statements, and operator's instructions would be very useful to the user in running the system. Job control statements direct the computer to execute programs in the required sequence. Job control statements are found in the system flowcharts sections.

The final step would be the building of the required data bases. Data bases generally grow over time, but the user should have enough data to provide useful output following implementation. The user's input section would be used for this step, as well as in the day-to-day operation of the system to provide guidance in the preparation of data.

The system book would be used to provide overall guidance during the implementation stage and should be updated thereafter. The program book would be used during implementation and whenever a change was needed. It should be updated with all program changes, especially concerning the source program listing. It would also be used by the programmer to research questions concerning what a program does or could be changed to do.

The clerical procedures and data control sections are used in daily operations to provide instructions to clerks regarding distribution of data and reports. In addition, instructions are provided to code control cards and to specify required tapes or other materials for proper job execution by the computer operator.

The introduction indicates the program's objective. Revision history describes the changes that have been made to the program. The program narrative describes the purpose of each paragraph.

A segment of the system flowchart and detailed descriptions of input and output files are in the program book. Detailed descriptions of files are necessary to obtain a thorough understanding of the file and its uses. The source listing produced by the compiler is included, as well as references to the sample reports and operator's instructions section.

The detailed process flowchart ("Quick Draw"), object program listing, locator map listing, and linkage editor map are not included since they are strictly applicable to the WAMIS as used on a particular hardware configuration. However, these documents can be readily generated upon installing WAMIS on particular computer system in the following manner: 1) process flowchart can be produced by the compiler; and 2) detailed process flowcharts can be obtained by running "Quick Draw" or a comparable program using as input the desired COBOL source program.

WAMIS IMPLEMENTATION

Implementation of WAMIS might proceed in the following three steps. The first step would be to obtain the WAMIS documentation report and program tape; all of the programs would then be compiled and cataloged on the user's computer. The compiler listings should be checked against the program listings contained in the program books to ensure completeness of each program.